

**Phase I General Route Characterization  
and Geologic Hazard Assessment**

I-5 Corridor 500 kV Transmission Line  
Oregon/Washington

for  
**HDR Engineering, Inc.**

November 22, 2010



**Phase I General Route Characterization  
and Geologic Hazard Assessment**

I-5 Corridor 500 kV Transmission Line  
Oregon/Washington

*for*

**HDR Engineering, Inc.**

November 22, 2010



15055 SW Sequoia Parkway, Suite 140  
Portland, Oregon  
503.624.9274



# Phase I General Route Characterization and Geologic Hazard Assessment

## I-5 Corridor 500 kV Transmission Line Oregon/Washington

File No. 2081-032-00

November 22, 2010

Prepared for:

HDR Engineering, Inc.  
2913 Millennium Circle  
Billings, MT 59102

Attention: Scott Hereim, PE

Prepared by:

GeoEngineers, Inc  
15055 SW Sequoia Parkway, Suite 140  
Portland, Oregon 97224  
503.624.9274



Elson T. Barnett, RG, LG, LEG  
Geologist




David L. Thielen, PE

Principal

ETB:DLT:cje:lw  
Sharepoint\Finals\208103200 Phase I\_15 Corridor\_Modified.docx

Disclaimer: Any electronic form, facsimile or hard copy of the original document (email, text, table, and/or figure), if provided, and any attachments are only a copy of the original document. The original document is stored by GeoEngineers, Inc. and will serve as the official document of record.

Copyright© 2010 by GeoEngineers, Inc. All rights reserved.



# Table of Contents

<b>INTRODUCTION</b> .....	<b>1</b>
Document Review (Task 1A) .....	1
Data Evaluation and Mapping (Task 1B).....	1
<b>GENERAL GEOLOGY</b> .....	<b>2</b>
Segments 1 - 3 and A through E .....	3
Segments 4-24, 26-34, F - P, U - W .....	3
Segments 25, 35- 52, Q - T .....	3
<b>SPECIFIC MAPPING</b> .....	<b>4</b>
Geologic Mapping .....	4
Slope and Soils Mapping.....	5
Geologic Hazards .....	5
Landslides and Steep Slopes .....	5
Flooding .....	6
Channel Migration Zone (CMZ).....	6
Seismic Hazard.....	6
Volcanic Hazard.....	6
Mine Hazard .....	6
<b>RESULTS</b> .....	<b>7</b>
<b>REFERENCES</b> .....	<b>7</b>

## LIST OF FIGURES

Geology, Shallow Bedrock, Shallow Groundwater - Sheets 1 through 52  
Soil and Slope Gradients - Sheets 53 through 104  
Geologic Hazards - Sheets 105 through 156

## APPENDICES

Appendix A. Geologic Hazard Table  
Appendix B. Report Limitations and Guidelines for Use

## INTRODUCTION

GeoEngineers, Inc. (GeoEngineers) is pleased to provide our updated Phase I General Route Characterization and Geologic Hazard Assessment Report for the Bonneville Power Administration (BPA) I-5 Corridor Reinforcement 500 kV Transmission Line. GeoEngineers was contracted by HDR, Inc (HDR) on March 2, 2010 and most recently on October 8, 2010 to provide the Phase I services summarized in this report. The corridor reinforcement project consists of multiple segments along existing and proposed segments between the Casey Road Substation (CRS) north of Castle Rock, Washington and the Troutdale Substation (TS) near Troutdale, Oregon. Our updated report includes additional segments as well as all the segments previously reviewed. The maps that accompany this report show the location of those segments.

The General Route Characterization for the Phase I study included an office evaluation of (52+23) 75 segments identified by HDR totaling approximately 349 miles. We also reviewed digital data, including georectified aerial photographs, provided by HDR.

The results of our Phase I study are summarized in maps that accompany this report. Specifically, the three map books titled, “Soil and Slope Gradients”, “Geology, Shallow Bedrock, Shallow Groundwater”, and Geologic Hazards. In addition, we have prepared a table summarizing additional information about specific geologic hazards along the segments.

Our scope and objective for Phase I included the following tasks:

### **Document Review (Task 1A):**

- Oregon Department of Geology and Mineral Industries (selected reports and maps)
- Washington State Department of Natural Resources (selected reports and maps)
- US Geological Survey (selected reports and maps)
- Puget Sound LiDAR (Light Detection and Ranging) Consortium (inquiries and selected maps)
- Washington Department of Ecology (selected well log data and published reports)
- Oregon Department of Water Resources (selected well log data and published reports)
- Natural Resource Conservation Service (selected soil mapping information)
- County/City Geologic Hazard Reports and Maps (selected maps and documents)
- WSDOT and ODOT Information (inquiries for local road and bridge geotechnical reports)

### **Data Evaluation and Mapping (Task 1B):**

#### ***Geology and Soil Conditions within the Corridors***

- Geology is from 7.5 minute quadrangles or larger scale where readily available
- Soil conditions are from appropriate reviewed sources such as NRCS database and geotechnical reports
- Shallow Bedrock from NRCS database less than 60 inch depth designation

**NRCS Soils Data**

- Mapped Soil Units (USCS/ASTM Classifications)

**Geologic Hazards within the Corridors**

- Landslides
- Erosion Hazards
- Steep Slope Hazards
- Channel Migration Zones
- Seismic Hazards (faults and liquefaction areas)
- Mine hazards
- Volcanic Hazards (mudflows, blast zones, etc)

**Groundwater**

- Shallow groundwater
- Floodplains and Floodways

**Geologic Hazards Based On Available Data**

Additional Data Requested. We have requested the following geotechnical reports:

- Lewis River Road, State Route (SR) 503 crossing of Marble Creek (adjacent to Segments 13 and 17)
- SR 503 crossing of Lewis River (Segments 20 and 21)
- SR 14 (Lewis and Clark Highway) of Camas Slough embayment (Columbia River) (Segment 52)
- I-205 crossing of Salmon Creek (Segment 25)
- SE Washougal River Road crossing of Little Washougal River (Segment 51)
- I-5 Crossing of East Fork Lewis River (~5 miles west of Segment 25)
- Lewis River Road (SR 503) crossing of Houghton Creek (Segment 25)
- I-5 crossing of Coweeman River (~1.3 miles west of Segment 9)
- Cowlitz Way crossing of Cowlitz River (2.2 miles south of Segment 4)
- I-84 crossing of Sandy River (.7 miles southeast of Segment 52)
- I-205 crossing of Columbia River, Oregon and Washington, (6 miles west of Segment 52)

**GENERAL GEOLOGY**

In general the segments cross three physiographic provinces that include the Willapa Hills, South Cascades and Portland Basin (from north to south). Province descriptions were developed from Lasmanis (1991). Key geologic unit descriptions referenced in the attached “Geology, Shallow Bedrock and Depth to Bedrock” maps (Sheets 1 through 52) are provided in parenthesis below where appropriate.

### Segments 1 - 3 and A through E



Segments 1 through 3 and A through E are mapped within **Willapa Hills province**, which rises to 3,110 feet above sea level locally and is part of the Coast Range. The province is situated between the Olympic Mountains to the north and the Columbia River to the south.

Tertiary age igneous and sedimentary rocks are exposed in the Willapa Hills. Beginning with the Eocene Crescent Formation basalts (**basalt flows**), thick sequences of sedimentary (**Tertiary and older sedimentary rock**) and volcanic rocks of Eocene through Miocene age are present.

### Segments 4-24, 26-34, F - P, U-W



Route Segments 4 through 24, 26 through 34, F through P and U through W are located in the southern portion of the Cascade mountain range. The **South Cascade** province in Washington consists predominantly of Cenozoic volcanic rocks and associated deposits. Basalts of the Columbia Basin (**Basalt Flows and Intrusive Rocks**) lap onto the southern Cascades to the east, and the Puget Lowland is situated to the west. To the south, the Cascade Range is severed by the gorge of the Columbia River.

By the end of the Mesozoic, basement rocks were eroded to a plain on which sediments were deposited during the Eocene. These sediments are now represented by non-marine shales, siltstones, and sandstones (**Tertiary and Older Sedimentary Rocks and Deposits**).

Basalt and andesite (**Andesite Flows and Intrusive Rocks**) volcanism of the Cascades were initiated during the Eocene age. During the Oligocene, the Neogene, and through Quaternary time, mountain building in the form of volcanism predominated. Volcaniclastics, lahars, ash beds, and mud flows from volcanic centers filled depressions (**Volcaniclastic Deposits**) in the southern Cascades. They interfingered with nearshore sediments to the west. During the middle and late Miocene, Columbia River basalt flowed (**Basalt Flows**) up against the eastern flanks of the Cascades; these flows were later arched upward with uplift of the range.

### Segments 25, 35- 52, Q - T



Segments 25, 35 through 52 and Q through T are generally located in the **Portland Basin province** that marks the northern terminus of the Willamette Lowland of Oregon. In Washington, the northern portion of the

Portland Basin is characterized by the low topographic relief of western Clark County.

Both upstream and downstream from Vancouver, Washington at the edge of the basin, there are exposures of Columbia River basalt (**Basalt Flows**). Within the basin itself, the basalt units lie more than 1,000 feet below the surface. Starting during the Miocene age and continuing through the Pliocene, the basin was filled by sediments of the ancestral Columbia River. Named the Troutdale Formation (**Tertiary and Older Sedimentary rocks and deposits**), these deposits can be divided into two general parts: a lower gravel section containing pebbles and cobbles that were derived from the Columbia Basin and the Okanogan Highlands provinces. A volcanic breccia (**Volcaniclastic Deposits**) subunit of the Troutdale Formation, representing a lahar, has been mapped near Woodland, Washington.

Deposition of the Troutdale Formation was followed by a period of Boring Lava volcanism (**Basalt Flows and Intrusive Rocks**). Centers of extrusive activity have been documented around the margins of the Portland Basin. This volcanism was associated with faulting and structural deformation of the Troutdale Formation and further depression of the Portland Basin.

Lastly, as the glacial Lake Missoula catastrophic floods burst (**Outburst Flood Deposits**) out of the Columbia River Gorge 12,700 to 15,300 years ago, the waters ponded in the Portland Basin. Backwaters caused the deposition of well-sorted sand, clay, and gravel.

## SPECIFIC MAPPING

### Geologic Mapping

GeoEngineers obtained digital geologic maps for the Washington State study area from DNR (2003) at a scale of 1:100,000. Digital geologic maps for the Oregon were obtained at a scale of 1:500,000 (Walker and MacLeod (1991)). We also obtained recently mapped digital geologic maps for available 7.5 minute quadrangles (1:24,000 scale), from the USGS (Howard, 2002, Evarts 2001, Evarts, 2004a, Evarts, 2004b, Evarts, 2005, Evarts, 2006, and Evarts and O'Connor, 2008). We combined similar lithologic and depositional units as appropriate for a study of this scale. The geologic, bedrock and deposit unit maps are provided in Geology, Shallow Bedrock, and Shallow Groundwater maps, Sheets 1–52. Our approach to shading the geologic units was to use similar colors as those used for mapping by the local agencies.

We also identified NRCS digital soils data available for the three counties of the study area that include Multnomah, Oregon and Clark and Cowlitz Counties in Washington. Information with the digital soils database provides depth to bedrock as shown in Soils and Slope Gradients maps, Sheets 53 through 104.

We considered different approaches to consistently show depth to groundwater on the geology maps. Well drilling logs are available from Washington State DOE and Oregon Department of Water Resources. There is ample data from these sources in the project area, over 2,000 well logs within a 1 mile radius of the segments. However, we note that many of these wells were drilled for domestic water production and these well logs seldom show the near surface water table depth needed for Phase I.



To maintain schedule we chose another option we believe to be more consistent and reliable for a Phase I level evaluation. We selected digital soil data from the NRCS that includes a database for depth to groundwater. The benefit of using this approach is that NRCS soils are mapped at a 1:24,000 scale using shallow soil pits that likely produce consistent data for a regional study for preliminary engineering applications. Hence, depth to groundwater information is provided on the “Geologic, Shallow Bedrock, and Shallow Groundwater” maps, in Sheets 1 through 52.

Surface water and waterbody digital data available is shown on the Geologic maps as well.

### **Slope and Soils Mapping**

GeoEngineers developed topographic base contours, percent slope, and Unified Soils Classification maps for the study characterization. Forty-foot contours were developed from a USGS 10-meter Digital Elevation Model (DEM) for the study area. A percent slope layer was also developed for the study area. The percent slope and contours are shown in the Soils and Slope percent Sheets 53 through 104. Also utilized was Light Detection and Ranging (LiDAR) data obtained from Clark County Washington to provide higher resolution percent slope mapping for Clark County. LiDAR data was not available for Cowlitz County at the time of our evaluation.

The NRCS soil data for each county was classified based on the Unified Soil Classification System (USCS) descriptions provided for the various soils units. The NRCS data provides a description of mapped soils within a depth ranging from 2 to 5 feet below the ground surface. We ignored the surficial soil classifications in the database because of the abundance of organic topsoil materials. Therefore, the Soil and Slope Gradient maps provide USCS descriptions for the lower two to three feet of the soil series unit. These soil types shown in the maps are considered to be more representative of the general soil conditions that would be encountered during earthwork, such as for foundation excavation and access road construction.

### **Geologic Hazards**

GeoEngineers completed an evaluation of geologic hazard for the route characterization using available digital data and photogeologic interpretation identifying areas of landslides (including steep slope hazards), flood hazard mapping, potential channel migration zones (CMZ), seismic hazards (crossings of faults), steep slope hazards, mine hazards, and volcanic hazards.

### **Landslides and Steep Slopes**

Landslide mapping for the corridor is available from DNR (Wegmann, 2006; DNR 2009) and USGS (Howard, 2002, Evarts, 2001, Evarts, 2004a, Evarts, 2004b, Evarts, 2005, Evarts, 2006, and Evarts and O'Connor, 2008). GeoEngineers also reviewed aerial photographs, percent slope maps (10m DEM and Clark County LiDAR).

Areas of potential steep slope hazards are identified for three slope gradient ranges (40-55 percent, 55-70 percent and greater than 70 percent). Although it was not within our current scope to evaluate local codes, often 40 percent is cited as the gradient where local jurisdictions typically require geotechnical engineering studies for design. Slopes that exceed 70 percent are likewise critical as DNR identifies potentially unstable areas (DNR, 2004) with

slopes greater than 70 percent for forest practices that could be significant for planning a new or expanded right-of-way.

### **Flooding**

Areas of potential flood hazard are identified only for Clark County.

### **Channel Migration Zone (CMZ)**

Areas of potential CMZ areas were identified from our preliminary review of the route topography and aerial photographs for indications of potential low-lying river valley areas or abandoned side channels that could be reoccupied.

### **Seismic Hazard**

Areas of seismic hazards were identified using available fault mapping from USGS (Howard, 2002, Evarts, 2001, Evarts, 2004a, Evarts, 2004b, Evarts, 2005, Evarts, 2006, and Evarts and O'Connor, 2008). We also include mapping of liquefaction susceptibility (Palmer et. al., 2004) for Cowlitz, Clark and Multnomah Counties (Mabey et. al, 1997).

### **Volcanic Hazard**

We evaluated potential volcanic hazards within the project area by reviewing available maps and literature with regard to Cascade Range seismicity (*USGS/Cascades Volcano Observatory, Vancouver, Washington, 2010*) that show current levels are within background norms. The geologic units within the study area are mapped with volcanoclastic deposits including lahars (volcanic mudflow) and tephra that are Pleistocene (13,000 years before present) and older in age and considered to have originated from Mt. St Helens.

The Mt. St. Helens eruption and lahar that developed on May 18, 1980 caused a significant impact to the Cowlitz River. The lahar reduced Cowlitz River (vicinity of Route Segments 1 through 5 and 9) carrying capacity at flood stage at Castle Rock from 76,000 cfs (cubic feet per second) to less than 15,000 cfs. The Columbia River was also impacted with reduced channel depth from 40 to 14 feet; stranding 31 ships in upstream ports.

From October 2004 to late January 2008, about 125 million cubic yards of lava had erupted onto the crater floor to form a new dome—enough to pave seven highway lanes three feet thick from New York City to Portland, Oregon. A comparable volume had flowed out to form the 1980s lava dome. All lava erupted since 1980 has refilled about 7 percent of the crater, which was created by the catastrophic landslide and eruption of May 18, 1980.

### **Mine Hazard**

Our review of coal mine hazards (Schasse, et. al., 1994) did not identify coal mine hazards within the project area. Areas of recent surface mining activity within Clark County, Washington are shown in Geologic Hazard figures Sheets 105 through 156.



## RESULTS

The primary results of our Phase I study are summarized in three map books that accompany this report. The map books are titled, “Soil and Slope Gradients”, “Geology, Shallow Bedrock, Shallow Groundwater”, and “Geologic Hazards”. In addition, we completed a photogeologic mapping of the study area and prepared Table A-1 summarizing additional information about specific geologic hazards along the segments. Note that descriptions that refer to areas as “extensive” generally indicate an area of lateral extent approximately equal to or greater than ¼ mile. Likewise, the term “localized” generally refers to areas with a lateral extent of less than ¼ mile.

The results of our evaluation of specific geologic hazards are provided in Table 1 in Appendix A. For each hazard we provide a brief description, the segment location (1-52 and A-W), and the feature number within the segment. Feature numbers for geologic hazards observed in a segment typically increase from north to south within a segment (or east to west for segments like #18). A point is shown for each of the hazards observed. For example, in Segment 1 the proposed line crosses a DNR mapped deep seated landslide at point 01-03 as shown in the Geologic Hazard Map, Sheet 108.

## REFERENCES

- Evarts, Russell C., 2004a, Geologic map of the Ariel quadrangle, Clark and Cowlitz Counties, Washington: U.S. Geological Survey Scientific Investigations Map 2826, scale 1:24,000, <http://pubs.usgs.gov/sim/2004/2826>.
- Evarts, Russell C., 2005, Geologic map of the Amboy quadrangle, Clark and Cowlitz Counties, Washington: U.S. Geological Survey Scientific Investigations Map 2885, scale 1:24,000, <http://pubs.usgs.gov/sim/2005/2885>.
- Evarts, Russell C., 2004b, Geologic map of the Woodland quadrangle, Clark and Cowlitz Counties, Washington: U.S. Geological Survey Scientific Investigations Map 2827, scale 1:24,000, <http://pubs.usgs.gov/sim/2004/2827>.
- Evarts, Russell C., and O'Connor, Jim E., 2008, Geologic map of the Camas quadrangle, Clark County, Washington, and Multnomah County, Oregon: U.S. Geological Survey Scientific Investigations Map 3017, scale 1:24,000, 31 p. [<http://pubs.usgs.gov/sim/3017/>].
- Evarts, R.C., 2006, Geologic map of the Lacamas Creek quadrangle, Clark County, Washington: U.S. Geological Survey Scientific Investigations Map 2924, scale 1:24,000 [available on the World Wide Web at URL <http://pubs.usgs.gov/sim/2006/2924/>].
- Evarts, R.C., 2001, Geologic map of the Silver Lake quadrangle, Cowlitz County, Washington: U.S. Geological Survey Miscellaneous Field Studies Map MF-2371, scale 1:24,000 [available on the World Wide Web at URL <http://pubs.usgs.gov/mf/2001/2371/>].
- Howard, Keith, 2002, Geologic map of the Battleground 7.5' quadrangle, Clark County, Washington, U.S. Geological Survey Miscellaneous Field Studies 2395, scale 1:24,000, <http://geopubs.wr.usgs.gov/map/mf/mf2395/>.

Lasmanis, Raymond, 1991, *The geology of Washington: Rocks and Minerals*, v. 66, no. 4, p. 262-277.

Mabey, M. A., Madin, I.P., Youd, T.L, and Jones, C.F, Relative earthquake hazard of the Portland METRO Region Clackamas, Washington, & Multnomah Counties, (DOGAMI Interpretive Map Series publication IMS-1), Oregon Department of Geology and Mineral Industries and Metro Regional Services. 1997, <http://lidar.geos.pdx.edu/>

Palmer, S.P., Magsino, S.L., Bilderback, E.L., Poelstra, D.S., Niggemann, R.A. 2004. Liquefaction susceptibility and site class maps of Washington State, by County, Washington Division of Geology and Earth Resources, Open File Report 2004-20.  
[http://www.dnr.wa.gov/ResearchScience/Topics/GeologyPublicationsLibrary/Pages/pub\\_ofr04-20.aspx](http://www.dnr.wa.gov/ResearchScience/Topics/GeologyPublicationsLibrary/Pages/pub_ofr04-20.aspx)

Schasse, H.W., Koler, M.L., Eberle, N.A., and Christie, R.A. 1994. The Washington State Coal Mine Map Collection: A Catalog, Index, and User's Guide, Washington Division of Geology and Earth Resources, Open File Report 94-7, June 1994.  
[http://www.dnr.wa.gov/Publications/ger\\_ofr94-7\\_coal\\_mine\\_map\\_catalog.pdf](http://www.dnr.wa.gov/Publications/ger_ofr94-7_coal_mine_map_catalog.pdf)

United States Department of Agriculture – National Resource Conservation Service (USDA-NRCS), formerly Soil Conservation Service (SCS). 2006. Soil Survey of Clark County Area, Washington. [http://soils.usda.gov/survey/online\\_surveys/washington/#clark1972](http://soils.usda.gov/survey/online_surveys/washington/#clark1972)

United States Department of Agriculture – National Resource Conservation Service (USDA-NRCS), formerly Soil Conservation Service (SCS). 2006. Soil Survey of Cowlitz County Area, Washington. [http://soils.usda.gov/survey/online\\_surveys/washington/#cowlitz2006](http://soils.usda.gov/survey/online_surveys/washington/#cowlitz2006)

United States Department of Agriculture – National Resource Conservation Service (USDA-NRCS), formerly Soil Conservation Service (SCS). 1983. Soil Survey of Multnomah County Area, Oregon. [http://soils.usda.gov/survey/online\\_surveys/oregon/#multnomah1983](http://soils.usda.gov/survey/online_surveys/oregon/#multnomah1983)

United State Geological Survey, Cascade Volcano Observatory, Current Status, Access on March 19, 2010,  
<http://vulcan.wr.usgs.gov/Volcanoes/MSH/Publications/PP1250/framework.html>

United State Geological Survey, Cascade Volcano Observatory, Current Status, Access on March 19, 2010, [http://volcano.wr.usgs.gov/cvo/current\\_updates.php](http://volcano.wr.usgs.gov/cvo/current_updates.php)

Walker G.W. and N.S. MacLeod, Digital Geologic Map of Oregon, 1991, 1:500,000 scale:  
<http://wrgis.wr.usgs.gov/docs/geologic/or/oregon.html>

Washington State Department of Natural Resources. Forest Practices Landslides shapefile. Published June 2008. Obtained January 13, 2009.

Washington Division of Geology and Earth Resources. 2003. "Digital Report 2, Digital Geologic Maps of the 1:100,000 Quadrangles of Washington." ArcInfo 8.1.2 coverage format, Washington State Plane South, NAD 27, July 2003 edition.

Washington State Department of Natural Resources (DNR). 2004. Forest Practices Board Manual section 16.

[http://www.dnr.wa.gov/BusinessPermits/Topics/ForestPracticesRules/Pages/fp\\_board\\_manual.aspx](http://www.dnr.wa.gov/BusinessPermits/Topics/ForestPracticesRules/Pages/fp_board_manual.aspx) (updated November, 2004) (accessed August 19, 2008)

Wegmann, K. W., Digital Landslide Inventory for the Cowlitz County Urban Corridor, Washington, Washington Department of Natural Resources, Report of Investigations 35, 2006,

Obtained March 3, 2010. <http://fortress.wa.gov/dnr/app1/dataweb/dmmatrix.html#Geology> and

[http://www.dnr.wa.gov/ResearchScience/Topics/GeologyPublicationsLibrary/Pages/pub\\_r](http://www.dnr.wa.gov/ResearchScience/Topics/GeologyPublicationsLibrary/Pages/pub_r)

[i35.aspx](http://www.dnr.wa.gov/ResearchScience/Topics/GeologyPublicationsLibrary/Pages/pub_r_i35.aspx)





**APPENDIX A**  
**Geologic Hazard Table**

**Table A-1 - Geologic Hazard Table**  
 Bonneville Power Administration I-5 Corridor 500 kV Transmission Line  
 Washington and Oregon

Segment-Hazard Number	Description
<b>Segment 01</b>	
01-01	Segment crossing of a DNR mapped landslide headscarp. Air photos indicate no recent harvest of landslide features forested slopes. 10-m DEM indicates slopes are inclined at gradients less than 40 percent.
01-02	Segment crossing of ravine slopes that range from 40 to 55 percent based on 10-m DEM. Air photos indicate no recent harvest of ravine slopes.
01-03	Segment crossing of localized ridge adjacent slopes ranging from 40-70 percent. Air photos indicate no recent harvest of steep forested slopes area.
01-04	Localized steep ravine slopes ranging from 40 to 70 percent. Air photos indicate no recent harvest of steep forested slopes.
01-05	Localized ridge adjacent slope ranging from 40 to 55 percent. Air photos indicate no recent harvest of steep forested slopes.
01-06	DNR-mapped fault crossing, unknown offset.
01-07	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area. Segment crosses within 200 feet upslope of DNR mapped landslide.
01-08	DNR-mapped deep-seated landslide feature.
01-09	DNR-mapped shallow landslide feature.
01-10	Localized side-hill slopes ranging from 40 to 55 percent. Air photos indicate no recent harvest of forested slopes.
01-11	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area. Adjacent to segment.
01-12	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area. Segment crosses within 200 feet upslope of DNR mapped landslide.
01-13	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area. Segment crosses within 200 feet upslope of DNR mapped landslide.
01-14	Segment crosses the head of DNR-mapped deep seated landslide. Landslide head includes slopes typically inclined from 0 to 40 percent.
01-15	Localized ridge adjacent slope ranging from 40 to 55 percent.
01-16	Localized ravine slopes ranging from 40 to 70 percent.
01-17	DNR mapped potentially unstable slope includes slopes 0 to 40 percent.
01-18	DNR mapped deep seated landslide located west and across a stream drainage from segment. Landslide area includes forested slopes inclined at gradients less than 40 percent.
01-19	DNR mapped deep seated landslide located west and across a stream drainage from segment. Landslide area includes forested slopes inclined at gradients that range from less than 40 percent to greater than 70 percent.
<b>Segment 02</b>	
02-01	DNR-mapped shallow landslide feature. Feature is located on cleared ROW slopes inclined from 55 to 70 percent.
02-02	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
02-03	Localized ROW slope ranging from 40 to 55 percent.
02-04	Localized ROW slope ranging from 40 to 55 percent.
02-05	Localized ROW slope ranging from 40 to 55 percent.
02-06	Localized ROW ravine slope ranging from 40 to greater than 70 percent. May include areas defined as DNR potentially unstable inner gorge slopes.
02-07	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to greater than 70 percent at the headscarp.
02-08	Localized ROW slope ranging from 40 to 55 percent.
02-09	Localized ROW slope ranging from 40 to 55 percent.
02-10	Localized ROW slope ranging from 40 to 55 percent.
02-11	Localized ROW slope ranging from 40 to 55 percent.
02-12	DNR mapped deep seated landslide located within existing ROW. Landslide area includes forested slopes inclined at gradients that range from less than 40 percent to 55 percent.
02-13	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
02-14	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
02-15	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
02-16	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
02-17	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to greater than 70 percent at the headscarp.
02-18	DNR-mapped potentially unstable slope. Area includes slopes that are typically inclined at gradients less than 40 percent.
02-19	DNR-mapped potentially unstable slope. Area includes slopes that are typically inclined at gradients less than 40 percent.



Segment-Hazard Number	Description
<b>Segment 03</b>	
03-01	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent
03-02	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
03-03	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
03-04	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 55 percent locally.
03-05	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
03-06	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-07	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-08	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 70 percent.
03-09	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-10	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-11	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
03-12	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
03-13	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
03-14	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
03-15	Localized steep ravine slopes ranging from 40 to greater than 70 percent locally. May include DNR unstable inner gorge area.
03-16	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-17	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 55 percent.
03-18	Localized steep slopes ranging from 40 to 70 percent.
03-19	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-20	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent adjacent to Cowlitz River.
03-21	Potential CMZ, scour hazard along the Cowlitz River. Cowlitz County moderate to high liquefaction hazard. Potential CMZ, scour hazard along the Cowlitz River.
03-22	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
03-23	Potential CMZ, scour hazard along the Cowlitz River. Cowlitz County moderate to high liquefaction hazard.
03-24	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-25	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-26	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-27	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
03-28	Localized steep slopes ranging from 40 to greater than 70 percent adjacent to Ostrander Creek. May include DNR inner gorge area.
03-29	Localized steep slopes ranging from 40 to 70 percent.
<b>Segment 04</b>	
04-01	DNR-mapped potentially unstable slope. Area includes slopes that range from gradients less than 40 percent to 55 percent.
04-02	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
<b>Segment 05</b>	
05-01	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-02	Localized slope that ranges from 40 to 70 percent.
05-03	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-04	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-05	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-06	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-07	Localized slope that ranges from 40 to greater than 70 percent.
05-08	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area. Adjacent to segment.
05-09	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-10	DNR-mapped deep seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-11	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
05-12	DNR-mapped deep-seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.

Segment-Hazard Number	Description
<b>Segment 06</b>	
06-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
<b>Segment 07</b>	
07-01	Localized steep slopes ranging from 40 to greater than 70 percent.
07-02	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 70 percent.
07-03	DNR-mapped deep-seated landslide feature crossing segment. Feature is located on slopes that range from zero to 40 percent.
07-04	Localized steep slopes ranging from 40 to 70 percent. Includes areas of localized small shallow landslides.
07-05	Localized steep slopes ranging from 40 to greater than 70 percent. Includes areas of apparent localized small shallow landslides.
07-06	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 70 percent.
07-07	DNR-mapped shallow landslide feature and steep slope area that ranges from 40 to greater than 70 percent.
07-08	Localized steep slopes ranging from 40 to 70 percent. No landslides observed in air photo.
07-09	Extensive slopes ranging from 40 to greater than 70 percent. Slope was recently cleared and shows no indication of landsliding.
07-10	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
<b>Segment 08</b>	
08-01	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from 40 to 70 percent.
08-02	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
08-03	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
08-04	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
08-05	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
<b>Segment 09</b>	
09-01	DNR-mapped potentially unstable area and deep seated landslide (0.05 mile long) with slopes that locally range from 40 to 55 percent.
09-02	DNR-mapped deep-seated landslide feature (0.1 miles long). ROW crosses the right flank of the 0.1 mile long landslide area. Slopes range from 40 to 70 percent locally.
09-03	DNR-mapped deep-seated landslide feature (0.4 miles long). ROW crosses the axis of the 0.4 mile long landslide area. Slopes range from 40 to 70 percent locally.
09-04	DNR-mapped potentially unstable area with slopes that locally range from 40 to 55 percent.
09-05	Potential CMZ adjacent to the Coweeman River. Cowlitz County moderate to high liquefaction hazard.
09-06	DNR-mapped deep-seated landslide. ROW crosses the left flanks of the 0.7 mile wide landslide area. ROW is located on toe/right flank of the landslide on slopes that range from 40 to greater than 70 percent. Moderate to high liquefaction hazard.
09-07	DNR-mapped deep-seated landslide feature. ROW crosses the toe of the 0.7 mile wide landslide area. Landslide is located on slopes that range from 40 to greater than 70 percent.
09-08	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
09-09	Localized steep slopes ranging from 40 to 70 percent. No landslides observed in air photo.
09-10	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from 40 to 70 percent.
09-11	Localized steep ravine slopes ranging from 40 to 70 percent. Potential DNR unstable inner gorge.
09-12	DNR-mapped deep-seated landslide feature adjacent to Hatchery Creek. Feature is located on slopes that range from 40 to 55 percent.
09-13	Localized steep slopes ranging from 40 to 70 percent.
09-14	Localized steep ravine slopes ranging from 40 to 70 percent. Potential DNR unstable inner gorge.
09-15	Extensive steep ravine slopes ranging from 40 to 70 percent adjacent to Kalama River. May include DNR unstable inner gorge area.
09-16	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
09-17	Localized steep slopes ranging from 40 to 70 percent.
09-18	USGS-mapped fault trending NE-SW.



Segment-Hazard Number	Description
<b>Segment 10</b>	
10-01	Localized ravine slopes ranging from 40 to 55 percent.
10-02	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
10-03	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
10-04	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
10-05	Steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-06	DNR-mapped deep seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
10-06	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
10-07	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
10-08	DNR-mapped deep seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
10-09	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-10	DNR-mapped deep seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
10-11	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
10-12	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
10-13	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-14	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-15	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-16	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-17	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-18	DNR-mapped deep-seated landslide. Corridor is within mapped headscarp of landslide. Feature is located on slopes that are up to 40 percent. Cowlitz County low to moderate liquefaction hazard.
10-19	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-20	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-21	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
10-22	Localized steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Kalama River. May include DNR unstable inner gorge area.
10-23	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
10-24	DNR-mapped deep seated landslide feature. Landslide includes slopes that range from less than 40 percent to 55 percent.
<b>Segment 11</b>	
11-01	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-02	Localized steep ravine slopes ranging from 40 to 70 percent.
11-03	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-04	Localized steep slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area. DNR unstable inner gorge area.
11-05	DNR-mapped shallow landslide feature. Landslide includes slopes that range from less than 40 percent to 70 percent.
11-06	Localized steep slopes ranging from 40 to 70 percent.
11-07	Extensive steep slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-08	Extensive steep slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-09	Localized steep slopes ranging from 40 to greater than 70 percent. Slope apparently related to cut slope for access road.
11-10	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-11	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-12	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-13	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-14	Extensive steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-15	Localized ravine slopes ranging from 40 to 55 percent.
11-16	Ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-17	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-18	Steep ravine slopes ranging from 40 to greater than 70 percent adjacent to North Fork Goble Creek. May include DNR unstable inner gorge area.
11-19	Steep ravine slopes ranging from 40 to greater than 70 percent adjacent to North Fork Goble Creek. May include DNR unstable inner gorge area.
11-20	Steep ravine slopes ranging from 40 to greater than 70 percent adjacent to North Fork Goble Creek. May include DNR unstable inner gorge area.
11-21	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.

Segment-Hazard Number	Description
11-22	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-23	Extensive steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-24	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-25	Extensive steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-26	Localized steep ravine slopes ranging from 40 to 70 percent adjacent to Goble Creek. May include DNR unstable inner gorge area.
11-27	Extensive steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-28	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-29	Not used.
11-30	Localized steep ravine slopes ranging from 40 to greater than 70 percent adjacent to Goble Creek. Likely includes DNR unstable inner gorge area.
11-31	Extensive steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-32	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-33	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-34	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-35	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-36	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-37	Localized steep ravine slopes ranging from 40 to greater than 70 percent adjacent to Goble Creek. May include DNR unstable inner gorge area.
11-38	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-39	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-40	Extensive steep ravine slopes ranging from 40 to greater than 70 percent adjacent to Bear Creek. Likely includes DNR unstable inner gorge area.
11-41	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-42	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-43	Localized steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Kalama River. May include DNR unstable inner gorge area. Cowlitz County low to moderate liquefaction hazard.
11-44	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
11-45	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-46	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-47	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-48	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-49	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-50	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-51	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
11-52	Localized steep ravine slopes ranging from 40 to 70 percent. Mapped USGS fault. May include DNR unstable inner gorge area.
11-53	Localized steep ravine slopes ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-54	Mapped USGS approximately located normal fault.
11-55	Mapped USGS approximately located normal fault.
11-56	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-57	Mapped USGS landslide located on slope ranging from less than 40 percent to 70 percent.
11-58	Mapped USGS landslide located on slope ranging from less than 40 percent to 55 percent.
11-59	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-60	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
11-61	Extensive steep ravine slopes ranging from 40 to greater than 70 percent adjacent to Coweeman River. May include DNR unstable inner gorge area.
<b>Segment 12</b>	
12-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
12-02	Extensive steep slopes ranging from 40 to greater than 70 percent.
12-03	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. Likely includes DNR unstable inner gorge area locally.
12-04	Extensive steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
12-05	Localized steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Kalama River. Likely includes DNR unstable inner gorge area.
12-06	USGS mapped fault, approximately located, trending NE-SW and localized steep ravine slopes ranging from 55 to greater than 70 percent.
12-07	USGS mapped fault, approximately located, trending NE-SW.

Segment-Hazard Number	Description
12-08	USGS mapped fault, approximately located, trending NE-SW.
12-09	USGS mapped fault located on slopes inclined from 40 to 70 percent.
12-10	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
12-11	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
12-12	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Johnson Creek. Likely includes DNR unstable inner gorge area.
12-13	Localized steep ravine slopes ranging from 45 to greater than 70 percent adjacent to Johnson Creek. Likely includes DNR unstable inner gorge area.
12-14	USGS mapped fault, approximately located, trending NE-SW and landslide feature located on slopes typically inclined at less than 40 percent.
<b>Segment 13</b>	
13-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
13-02	Localized steep slopes ranging from 40 to greater than 70 percent.
13-03	Localized steep slopes ranging from 40 to greater than 70 percent.
13-04	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
13-05	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Cape Horn Creek. Likely includes DNR unstable inner gorge area.
13-06	USGS mapped approximately located fault trending east-west.
13-07	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
13-08	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
13-09	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
13-10	USGS mapped fault, approximately located, trending east-west.
13-11	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Colvin Creek. Likely includes DNR unstable inner gorge area.
13-12	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Marble Creek. Likely includes DNR unstable inner gorge area.
13-13	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Husky Creek. Likely includes DNR unstable inner gorge area.
13-14	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Marble Creek. Likely includes DNR unstable inner gorge area.
13-15	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Husky Creek. Likely includes DNR unstable inner gorge area.
13-16	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Marble Creek. Likely includes DNR unstable inner gorge area.
13-17	USGS mapped fault trending east-west.
13-18	USGS mapped fault trending NE-SW.
<b>Segment 14</b>	
14-01	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from 40 to 70 percent locally.
14-02	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 70 percent.
14-03	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent. Also within a mapped USGS fault.
14-04	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Johnson Creek. Likely includes DNR unstable inner gorge area.
14-05	USGS mapped fault trending NE-SW.
14-06	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 40 percent.
14-07	USGS mapped fault trending NW-SE.
<b>Segment 15</b>	
15-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
15-02	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Colvin Creek. Likely includes DNR unstable inner gorge area.
15-03	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent. Likely includes DNR unstable inner gorge area.
15-04	USGS mapped landslide. Feature is located on slopes up to 40 percent.
15-05	USGS mapped landslide. Feature is located on slopes that range from 40 to greater than 70 percent.
15-06	USGS mapped landslide. Feature is located on slopes up to 40 percent.
<b>Segment 16</b>	
16-01	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Husky Creek. Likely includes DNR unstable inner gorge area.
16-02	USGS mapped landslide located on slopes ranging from 40 to greater than 70 percent.
16-03	USGS mapped landslide located on slopes ranging from 40 to greater than 70 percent.

Segment-Hazard Number	Description
<b>Segment 17</b>	
17-01	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to the reservoir that includes Lewis Creek. Likely includes DNR unstable inner gorge area.
17-02	USGS mapped, approximately located reverse fault trending northeast-southwest.
17-03	USGS mapped landslide located on slopes up to 40 percent.
<b>Segment 18</b>	
18-01	Localized ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
18-02	Localized slopes ranging from 40 to 70 percent.
18-03	USGS mapped concealed fault, trending NE-SW.
18-04	USGS mapped concealed fault, trending NE-SW.
18-05	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
18-06	USGS mapped fault.
18-07	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
18-08	Localized steep slopes ranging from 40 to greater than 70 percent.
18-09	Mapped USGS landslide located on slope ranging from 40 percent to greater than 70 percent.
18-10	Mapped USGS landslide located on slope ranging from less than 40 percent to 55 percent.
18-11	Mapped USGS landslide located on slope ranging from 40 to greater than 70 percent. Area of recent clearcut timber harvest.
18-12	Mapped USGS landslide located on slope ranging from up to 40 percent.
<b>Segment 19</b>	
19-01	USGS mapped concealed fault trending NE-SW.
<b>Segment 20</b>	
20-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent adjacent to the Lewis River. May include DNR unstable inner gorge area.
20-02	USGS mapped concealed fault trending NE-SW.
<b>Segment 21</b>	
21-01	Extensive steep ravine slopes ranging from 40 to greater than 70 percent adjacent to Lewis River Reservoir. Likely includes DNR unstable inner gorge area.
21-02	Extensive steep ravine slopes ranging from 40 to greater than 70 percent adjacent to Lewis River Reservoir. Likely includes DNR unstable inner gorge area.
<b>Segment 22</b>	
22-01	Localized steep ravine slopes ranging from 40 to 70 percent.
<b>Segment 23</b>	
23-01	Localized steep cut and fill slopes ranging from 55 to greater than 70 percent adjacent to the Lewis River.
23-02	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Johnson Creek. Likely includes DNR unstable inner gorge area.
23-03	Localized steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Johnson Creek. Likely includes DNR unstable inner gorge area.
23-04	USGS mapped fault trending east-west.
23-05	USGS mapped landslide feature. Landslide is located on steep slopes that range from 40 to greater than 70 percent.
23-06	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Pup Creek. Likely includes DNR unstable inner gorge area.
<b>Segment 24</b>	
24-01	Localized slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
24-02	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Pup Creek. Likely includes DNR unstable inner gorge area.
24-03	Clark County Flood hazard area and potential CMZ within Cedar Creek.
24-04	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Cedar Creek. Likely includes DNR unstable inner gorge area.
24-05	USGS mapped landslide feature. Landslide is located on steep slopes that range from 40 to greater than 70 percent.
24-06	Localized slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
<b>Segment 25</b>	
25-01	Localized steep slopes ranging from 40 to greater than 70 percent. Also includes USGS mapped strike slip fault approximately located, trending NW-SE.
25-02	Localized steep slopes ranging from 40 to 70 percent. Also includes USGS mapped strike slip fault approximately located, trending NW-SE.
25-03	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Lewis River. Cowlitz County moderate to high liquefaction hazard.
25-04	Clark County Flood hazard area and potential CMZ within Lewis River floodplain.
25-05	USGS mapped concealed fault trending NE-SW.
25-06	Extensive steep ravine slopes ranging from 55 to greater than 70 percent.

Segment-Hazard Number	Description
25-07	Localized slopes ranging from 40 to 55 percent.
25-08	Localized steep ravine slopes ranging from 40 to greater 70 percent. May include DNR unstable inner gorge slopes.
25-09	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge slopes.
25-10	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Rilay Creek. May include DNR unstable inner gorge slopes.
25-11	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Rilay Creek. May include DNR unstable inner gorge slopes.
25-12	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Rilay Creek. May include DNR unstable inner gorge slopes.
25-13	Clark County mapped area of potential instability. Includes slopes that range from 40 to greater than 70 percent.
25-14	Clark County mapped area of potential instability. Includes slopes that range from 40 to greater than 70 percent.
25-15	Localized steep slopes ranging from 40 to 70 percent. No landslides observed in air photo.
25-16	Clark County Flood and Liquefaction hazard area. Potential CMZ area.
25-17	Clark County mapped area of potential instability. Includes slopes that range from 40 to greater than 70 percent.
25-18	Clark County mapped area of potential instability. Includes localized slopes that range from 40 to greater than 70 percent.
25-19	Clark County Flood and Liquefaction hazard area.
25-20	Clark County mapped area of potential instability. Includes localized slopes that range from 40 to greater than 70 percent.
25-21	Clark County mapped area of potential instability. Includes localized slopes that range from 40 to greater than 70 percent.
25-22	Clark County Flood hazard area.
25-23	Clark County Liquefaction hazard area. Includes localized slope that range from 40 to 70 percent.
25-24	Clark County Flood hazard area.
25-25	Clark County Flood hazard area.
25-26	Clark County Flood hazard area.
25-27	Clark County Flood hazard area, and liquefaction hazard (Peat).
25-28	USGS mapped concealed fault trending NW-SE.
25-29	USGS mapped concealed fault trending NW-SE.
25-30	USGS mapped concealed fault trending NW-SE.
<b>Segment 26</b>	
26-01	Extensive steep slopes that include ravines. Slope gradients range from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-02	Localized steep slopes ranging from 40 to 70 percent.
26-03	Localized steep slopes ranging from 40 to 70 percent.
26-04	Extensive steep slopes that include ravines. Slope gradients range from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-05	Localized steep slopes ranging from 40 to 70 percent.
26-06	DNR mapped normal fault trending NE-SW.
26-07	Localized steep slopes that include ravines. Slope gradients range from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-08	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-09	Localized steep slopes that include ravines. Slope gradients range from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-10	Localized steep slopes with slope gradients that range from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-11	USGS mapped landslide with slopes that range from 40 up to 70 percent locally.
26-12	Localized steep slopes with slope gradients that range from 55 to greater than 70 percent.
26-13	Localized steep slopes with slope gradients that range from 55 to greater than 70 percent.
26-14	USGS mapped landslide with slopes that range up to 40 percent locally.
26-15	Localized steep slopes with slope gradients that range from 55 to greater than 70 percent.
26-16	Localized steep slopes that include ravines. Slope gradients range from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-17	USGS mapped landslide with slopes that range from 40 to greater than 70 percent locally.
26-18	USGS mapped landslide with slopes that range up to 40 percent locally adjacent to watercourse.
26-19	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from zero to 70 percent.
26-20	USGS mapped landslide with slopes that range up to 55 percent locally.
26-21	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
26-22	Clark County Flood hazard area. Potential CMZ in East Fork Lewis River corridor.
26-23	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.



Segment-Hazard Number	Description
26-24	USGS mapped landslide with slopes that range from 40 to greater than 70 percent locally.
26-25	USGS mapped landslide with slopes that range up to 40 percent locally adjacent to watercourse.
26-26	USGS mapped landslide with slopes that range from 40 to 70 percent locally.
<b>Segment 28</b>	
28-01	DNR mapped fault trending NE-SW.
28-02	USGS mapped landslide with slopes that range from 40 to 70 percent locally.
28-03	USGS mapped concealed fault trending NE-SW.
28-04	DNR mapped fault trending NE-SW.
28-05	USGS mapped concealed fault trending NE-SW.
28-06	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent.
28-07	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent.
28-08	Clark County flood hazard area.
28-09	USGS mapped fault approximately located trending east-west.
28-10	USGS mapped fault approximately located trending east-west.
28-11	USGS mapped fault approximately located trending NE-SW.
28-12	DNR mapped normal fault.
28-13	Localized steep slopes ranging from 40 to greater than 70 percent.
28-14	USGS mapped landslide (0.1 miles long) with slopes that range from up to 40 percent locally.
28-15	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Cedar Creek. May include DNR unstable inner gorge area.
28-16	Localized steep slopes that include ravines. Slopes gradients range from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
28-17	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
28-18	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
28-19	Not used.
28-20	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent.
28-21	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
28-22	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
28-23	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Big Tree Creek. May include DNR unstable inner gorge area.
28-24	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Big Tree Creek. May include DNR unstable inner gorge area.
28-25	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Big Tree Creek. May include DNR unstable inner gorge area.
28-26	DNR mapped normal fault trending NW-SE.
28-27	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to East Fork Lewis River. May include DNR unstable inner gorge area. Clark Co. flood hazard.
28-28	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to East Fork Lewis River. May include DNR unstable inner gorge area. Clark Co. flood hazard.
28-29	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Rock Creek. May include DNR unstable inner gorge area. Clark Co. flood hazard.
28-30	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Rock Creek. May include DNR unstable inner gorge area. Clark Co. flood hazard.
28-31	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Rock Creek. May include DNR unstable inner gorge area. Clark Co. flood hazard.
28-32	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
28-33	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent.
<b>Segment 29</b>	
29-01	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Canyon Creek. May include DNR unstable inner gorge area.
29-02	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Canyon Creek. May include DNR unstable inner gorge area.
29-03	DNR mapped normal fault trending NE-SW.
29-04	DNR-mapped deep-seated landslide feature adjacent to Canyon Creek. Feature is located on slopes that range from 40 to greater than 70 percent.
29-05	DNR-mapped deep-seated landslide feature adjacent to Canyon Creek. Feature is located on slopes that range from 40 to greater than 70 percent.
29-06	DNR-mapped deep-seated landslide feature. Feature is located on slopes that range from 40 to greater than 70 percent.
29-07	DNR mapped normal fault trending NE-SW.
29-08	DNR mapped normal fault trending NE-SW.
29-09	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent.
29-10	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourse. May include DNR unstable inner gorge area.

Segment-Hazard Number	Description
29-11	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourse. Area of recent land sliding observed (~280' wide x 300' long). Likely includes DNR unstable inner gorge area.
29-12	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent locally adjacent to Cedar Creek. Likely includes DNR unstable inner gorge area.
29-13	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
29-14	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourse. Recent clearcut harvest in vicinity. Likely includes DNR unstable inner gorge area.
29-15	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Big Creek. Likely includes DNR unstable inner gorge area.
29-16	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Big Creek. Likely includes DNR unstable inner gorge area.
29-17	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourses. Likely includes DNR unstable inner gorge area.
29-18	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourses. Likely includes DNR unstable inner gorge area.
29-19	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourses. Likely includes DNR unstable inner gorge area.
29-20	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourses. Likely includes DNR unstable inner gorge area.
29-21	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to E. Fork Lewis River. Likely includes DNR unstable inner gorge area.
29-22	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
29-23	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
29-24	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
29-25	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Rock Creek. Appears to be road fill slope.
29-26	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
29-27	DNR-mapped deep-seated landslide feature (~0.5 mile long). Feature is located on slopes that range from 40 to greater than 70 percent locally.
29-28	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to E. Fork Lewis River. Likely includes DNR unstable inner gorge area.
29-29	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
<b>Segment 32</b>	
32-01	Localized steep slopes with gradients ranging from 55 to greater than 70 percent. Area of recent clearcut.
32-02	Localized steep slopes with gradients ranging from 55 to 70 percent adjacent to unnamed watercourse. Apparent slide scarp.
32-03	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
32-04	Localized steep slopes with gradients ranging from 55 to greater than 70 percent. Adjacent to active surface mine.
32-05	USGS mapped landslide (2 miles long) located on slopes ranging from 40 to greater than 70 percent.
32-06	DNR mapped landslide (2 miles long) located on slopes ranging from 40 to greater than 70 percent.
32-07	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
32-08	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
32-09	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
32-10	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
32-11	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
32-12	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
<b>Segment 33</b>	
33-01	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
33-02	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to an unnamed watercourse.
33-03	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent.
33-04	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to an unnamed watercourse.
33-05	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
33-06	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to an unnamed watercourse.
33-07	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Cedar Creek. Likely includes DNR unstable inner gorge area.
33-08	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to an unnamed watercourse.
33-09	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Cedar Creek. Likely includes DNR unstable inner gorge area.
33-10	Localized steep slopes with gradients ranging from 55 to 70 percent.
33-11	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent.
33-12	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to an unnamed watercourse.
33-13	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
33-14	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Cedar Creek. Likely includes DNR unstable inner gorge area.

Segment-Hazard Number	Description
<b>Segment 34</b>	
34-01	Localized steep slopes with gradients ranging from 55 to 70 percent adjacent to unnamed watercourse.
34-02	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
34-03	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
34-04	DNR-mapped deep-seated landslide feature (~0.5 mile long) adjacent to Cold Creek. Feature is located on slopes that range from 40 to greater than 70 percent locally.
34-05	Localized steep slopes with gradients ranging from 55 to 70 percent.
34-06	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourse.
34-07	Localized steep slopes with gradients ranging from 55 to 70 percent.
34-08	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed watercourse.
34-09	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Cedar Creek. Apparent recent cut slope failure. Likely includes DNR unstable inner gorge area.
34-10	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to unnamed creek. Likely includes DNR unstable inner gorge area.
34-11	Localized steep slopes with gradients ranging from 55 to 70 percent.
34-12	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
<b>Segment 35</b>	
35-01	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
35-02	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
35-03	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
35-04	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
35-05	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-06	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
35-07	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
35-08	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Likely includes DNR unstable inner gorge area.
35-09	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
35-10	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-11	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-12	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Residential development locally. Likely includes DNR unstable inner gorge area.
35-13	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-14	Localized steep slopes with gradients ranging from 40 to greater than 70 percent adjacent to unnamed watercourse. Residential development locally. Likely includes DNR unstable inner gorge area.
35-15	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-16	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-17	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
35-18	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-19	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-20	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-21	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
35-22	Localized steep slopes with gradients ranging from 55 to greater than 70 percent.
35-23	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
35-24	Localized steep slopes with gradients ranging from 55 to greater than 70 percent adjacent to Little Washougal River. Likely includes DNR unstable inner gorge area.
<b>Segment 36</b>	
36-01	Clark County Flood hazard area, and liquefaction hazard (Peat).
36-02	USGS mapped concealed fault trending NW-SE.
<b>Segment 39</b>	
39-01	Clark County Flood and Liquefaction hazard area. Also include USGS mapped normal concealed fault trending NW-SE.
39-02	USGS mapped landslide feature. Segment crosses the landslide toe along a slope of up to 40 percent.
39-03	Clark County Flood and Liquefaction hazard area.



Segment-Hazard Number	Description
<b>Segment 40</b>	
40-01	USGS mapped normal concealed fault trending NW-SE.
40-02	Clark County Flood hazard area.
40-03	Clark County Flood hazard area.
40-04	Clark County Flood hazard area. DNR mapped normal fault.
<b>Segment 41</b>	
41-01	Localized steep slope inclined at gradients from 40 to greater than 70 percent.
<b>Segment 48</b>	
48-01	Clark County Flood hazard area. Includes localized slope that ranges from 40 to 70 percent.
<b>Segment 49</b>	
49-01	Localized slope that ranges from 40 to 70 percent.
49-02	Localized slope that ranges from 40 to 70 percent.
49-03	Localized slope that ranges from 40 to 70 percent.
<b>Segment 50</b>	
50-01	USGS mapped normal concealed fault trending NW-SE.
<b>Segment 51</b>	
51-01	DNR mapped normal fault. Localized slope that ranges from 40 to 70 percent.
51-02	Clark County Flood hazard area. Includes localized slope that ranges from 40 to 70 percent.
51-03	Localized slope that ranges from 40 to 70 percent.
51-04	Localized slope that ranges from 40 to 70 percent.
<b>Segment 52</b>	
52-01	Clark County Flood and liquefaction hazard area. Includes localized slope that ranges from 0 to 40 percent.
52-02	Not used.
52-03	Clark County Flood hazard area.
52-04	Clark County Flood hazard area. High liquefaction hazard area.
52-05	Clark County Flood and liquefaction hazard area. Includes localized slope that ranges from 0 to 40 percent.
52-06	DOGAMI mapped high liquefaction hazard area. Includes entire Oregon side of segment 52.
<b>Segment A</b>	
A-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
A-02	Localized ridge adjacent slope ranging from 40 to 55 percent.
A-03	Localized steep slopes with gradients ranging from 40 to 70 percent adjacent to Baxter Creek. Likely includes DNR unstable inner gorge area.
A-04	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
A-05	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
A-06	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
A-07	Extensive steep slopes with gradients ranging from 55 to greater than 70 percent. Likely includes DNR unstable inner gorge area.
A-08	Localized steep slopes ranging from 40 to 70 percent in an area of exposed soils observed from aerial photograph.
A-09	Localized steep slopes ranging from 40 to 70 percent. Includes localized exposed soils in access road cutslopes.
<b>Segment B</b>	
B-01	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
<b>Segment C</b>	
C-01	Localized ridge adjacent slope ranging from 40 to 70 percent.
C-02	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
C-03	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
C-04	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to Arkansas Creek.
C-05	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to Dobson Creek.
C-06	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
C-07	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
C-08	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.

Segment-Hazard Number	Description
C-09	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
C-10	Localized steep concave slopes ranging from 40 to 70 percent.
<b>Segment D</b>	
D-01	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
D-02	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
D-03	Cowlitz County moderate to high liquefaction hazard.
D-04	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
D-05	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
D-06	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
D-07	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
D-08	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
D-09	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
<b>Segment E</b>	
E-01	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Monahan Creek.
E-02	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
E-03	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
E-04	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
E-05	Cowlitz County-mapped deep seated landslide. Toe is located along eastern edge of 1/2-mile buffer
<b>Segment F</b>	
F-01	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-02	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-03	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-04	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-05	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-06	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-07	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-08	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to Whittle Creek.
F-09	DNR mapped landslide area on slopes ranging from 0 to 40 percent.
F-10	Cowlitz County mapped deep seated landslide area on slopes ranging from 0 to 40 percent.
F-11	Cowlitz County mapped deep seated landslide area on slopes ranging from 0 to 40 percent.
F-12	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-13	Cowlitz County mapped potential unstable slopes ranging from 0 to 40 percent.
F-14	Potential CMZ, scour hazard along the Cowlitz River. Cowlitz County moderate to high liquefaction hazard. Potential Lahar hazard area.
F-15	DNR mapped landslide area on slopes ranging from 0 to 70 percent.
F-16	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-17	Extensive Cowlitz County mapped potential unstable slopes ranging up to 55 percent locally.
F-18	Cowlitz County mapped deep seated landslide area on slopes ranging from 0 to 40 percent.
F-19	Extensive Cowlitz County mapped potential unstable slopes ranging up to 55 percent locally.
F-20	Cowlitz County mapped deep seated landslide area on slopes ranging from 0 to 40 percent.
F-21	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area and DNR mapped landslides.
F-22	Cowlitz County mapped deep seated landslide area on slopes ranging from 0 to 55 percent.
F-23	Cowlitz County mapped deep seated landslide area on slopes ranging from 0 to 40 percent.
F-24	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
F-25	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
F-26	Extensive DNR-mapped deep-seated landslide feature crossing segment. Feature is located on slopes that range from zero to 70 percent.
F-27	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-28	Extensive steep slopes ranging from 40 to greater than 70 percent upslope of mapped deep seated landslide. Steep areas may be interpreted as headscarp of larger slides.
F-29	Extensive DNR-mapped deep-seated landslide feature crossing segment. Feature is located on slopes that range from zero to 70 percent.
F-30	Localized DNR-mapped deep-seated landslide feature crossing segment. Feature is located on slopes that range from zero to 70 percent.
F-31	Extensive DNR-mapped deep-seated landslide feature crossing segment. Feature is located on slopes that range from zero to greater than 70 percent and includes steep inner gorge slopes adjacent to Coal Mine Creek.

Segment-Hazard Number	Description
F-32	Localized DNR-mapped deep-seated landslide feature crossing segment. Feature is located on slopes that range from zero to 55 percent.
F-33	DNR mapped deep seated landslide area on slopes ranging from 0 to 70 percent.
F-34	Extensive steep ravine amphitheater slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
F-35	Localized steep ravine slopes ranging from 40 to greater 70 percent. May include DNR unstable inner gorge area, but likely includes steep cutslope.
F-36	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to Ostrander Creek.
F-37	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-38	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
F-39	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-40	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-41	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-42	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
F-43	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Coweeman R..
F-44	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
F-45	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to the Coweeman R.
F-46	DNR mapped landslide area on slopes ranging from less than 40 to 70 percent.
F-47	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
<b>Segment G</b>	
G-01	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
G-02	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
G-03	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
G-04	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
<b>Segment H</b>	
H-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
H-02	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
<b>Segment I</b>	
I-01	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
I-02	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to Sam Smith Creek.
I-03	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to Sam Smith Creek.
I-04	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
I-05	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
I-06	DNR mapped landslide located within a stream drainage. Landslide area includes forested slopes inclined at gradients that range from less than 40 percent to greater than 70 percent.
I-07	DNR mapped landslide located on forested slopes inclined at gradients that range from 0 to 40 percent.
I-08	Segment crosses localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
I-09	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
<b>Segment J</b>	
J-01	Segment crosses localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
J-02	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
J-03	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
J-04	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
J-05	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
J-06	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to North Fork Goble Creek.
<b>Segment K</b>	
K-01	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
K-02	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
K-03	DNR mapped landslide located on forested slopes inclined at gradients that range from 40 to 70 percent.
K-04	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
K-05	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to North Fork Goble Creek.
K-06	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
K-07	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
K-08	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.





Segment-Hazard Number	Description
<b>Segment L</b>	
L-01	Extensive steep ravine slopes ranging from 55 to greater than 70 percent adjacent to Johnson Creek. Likely includes DNR unstable inner gorge area.
L-02	USGS mapped fault trending east-west.
<b>Segment M</b>	
M-01	Localized steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge slopes adjacent to Pup Creek.
<b>Segment O</b>	
O-01	Extensive steep ravine slopes ranging from 55 to greater than 70 percent that includes DNR mapped landslide adjacent to Canyon Creek.
O-02	DNR mapped normal fault trending NE-SW.
O-03	DNR mapped landslide located on forested slopes inclined at gradients that range from 40 to 70 percent.
O-04	Extensive steep ravine slopes ranging from 55 to greater than 70 percent and includes DNR mapped landslides. May include DNR unstable inner gorge area adjacent to the Canyon Creek.
O-05	Extensive steep ravine slopes ranging from 55 to greater than 70 percent and includes DNR mapped landslides. May include DNR unstable inner gorge area adjacent to the Canyon Creek.
O-06	DNR mapped landslide feature that crosses a portion of the segment and includes slopes that range from less than 40 percent to greater than 70 percent locally.
O-07	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
O-08	Localized steep slopes ranging from 55 to greater than 70 percent, interpreted as being associated with a borrow pit.
O-09	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
O-10	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
O-11	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
O-12	Localized steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
O-13	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Fly Creek.
O-14	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-15	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Fly Creek.
O-16	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Little Fly Creek.
O-17	Extensive steep amphitheater/ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Niccolls Creek.
O-18	Extensive steep amphitheater/ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
O-19	Extensive steep amphitheater/ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
O-20	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Niccolls Creek.
O-21	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-22	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-23	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to East Fork Lewis R.
O-24	Extensive steep slopes ranging from 40 to greater than 70 percent.
O-25	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to King Creek.
O-26	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-27	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-28	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-29	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-30	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-31	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-32	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-33	Extensive steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-34	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Coyote Creek.
O-35	Localized steep slopes ranging from 40 to greater than 70 percent.
O-36	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area.
O-37	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Rock Creek.
O-38	Localized steep ravine slopes ranging from 40 to 70 percent. May include DNR unstable inner gorge area adjacent to Grouse Creek.
O-39	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
O-40	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Grouse Creek.
O-41	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Cold Creek.
O-42	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Grouse Creek.
O-43	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
O-44	Extensive steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Grouse Creek.

Segment-Hazard Number	Description
O-45	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
O-46	Localized steep ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Jones Creek.
O-47	Localized steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to Jones Creek.
<b>Segment P</b>	
P-01	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent.
P-02	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent. May include narrow DNR inner gorge area adjacent to Rock Creek
P-03	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
P-04	Extensive steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area adjacent to Rock Creek
P-05	USGS-mapped landslide feature that includes slopes that range from less than 40 percent to greater than 70 percent locally. Includes mid-slope logging road
P-06	USGS-mapped landslide feature that includes slopes that range from less than 40 percent to greater than 55 percent locally. Includes mid-slope logging road
P-07	DNR mapped and larger USGS-mapped landslide feature that crosses the entire segment and includes slopes that range from less than 40 percent to greater than 70 percent locally.
P-08	USGS mapped landslide feature that includes slopes that range from less than 40 percent to 70 percent locally.
P-09	DNR and USGS mapped landslide feature that includes slopes that range from less than 40 percent to 70 percent locally.
P-10	USGS mapped approximately located fault trending NW to SE
P-11	USGS mapped landslide feature that includes slopes that range from less than 40 percent to greater than 70 percent locally.
P-12	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include unstable DNR inner gorge area adjacent to Rock Creek
P-13	USGS mapped landslide feature that includes slopes that range from less than 40 percent to greater than 70 percent locally.
P-14	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area
<b>Segment Q</b>	
Q-01	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent.
Q-02	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area
Q-03	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area
Q-04	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area adjacent to East Fork Little Washougal R.
Q-05	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
<b>Segment R</b>	
R-01	Extensive steep amphitheater/ravine slopes ranging from 40 to greater than 70 percent. May include DNR unstable inner gorge area.
R-02	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
R-03	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
R-04	Extensive steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
R-05	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent.
R-06	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
R-07	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent.
R-08	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
R-09	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area.
R-10	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent.
<b>Segment S</b>	
S-01	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area
<b>Segment T</b>	
T-01	Localized steep slopes that include gradients ranging from 40 to 70 percent.
T-02	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area
T-03	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area
<b>Segment U</b>	
U-01	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
U-02	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent.

Segment-Hazard Number	Description
<b>Segment V</b>	
V-01	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent. May include narrow DNR inner gorge area
V-02	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent. May include narrow DNR inner gorge area
V-03	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent. May include narrow DNR inner gorge area
V-04	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent. May include narrow DNR inner gorge area adjacent to Rock Creek
V-05	Localized steep slopes that include gradients ranging from 40 to greater than 70 percent. May include narrow DNR inner gorge area adjacent to Rock Creek
V-06	Localized steep slopes that include gradients ranging from 55 to greater than 70 percent. May include narrow DNR inner gorge area adjacent to Rock Creek
<b>Segment W</b>	
W-01	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area adjacent to the Lewis R.
W-02	Extensive steep ravine slopes ranging from 55 to greater than 70 percent. May include DNR unstable inner gorge area.
W-03	Extensive steep ravine slopes ranging from 55 to greater than 70 percent that includes DNR mapped landslide. May include DNR unstable inner gorge area.

CMZ = Channel Migration Zone


DEM = Digital Elevation Model

DNR = Department of Natural Resources (Washington)

DOGAMI = Department of Geology and Mineral Industries (Oregon)

ROW = Right-of-way

USGS = United States Geological Survey



**APPENDIX B**  
**Report Limitations and Guidelines for Use**



## **APPENDIX B REPORT LIMITATIONS AND GUIDELINES FOR USE**

This appendix provides information to help you manage your risks with respect to the use of this report.

### **Report Use and Reliance**

The data report has been prepared for HDR and Bonneville Power Administration, their authorized agents and regulatory agencies. The report is not intended for use by others, and the information contained herein is not applicable to other projects or properties. No party or parties other than those named above may rely on the product of our services unless we agree to such reliance in advance and in writing. The purpose of this limitation is to provide our firm with reasonable protection against open-ended liability claims by third parties with whom there would otherwise be no contractual limits to their actions.

This report is intended to be used only for the specific purpose or project originally contemplated for our services, and use of this report is not recommended for any other purpose or project. The data was developed and compiled for this project only, and no representation or warranty is made, either express or implied. GeoEngineers shall not be responsible for any alterations, modifications or additions to the data herein or the consequences of any interpretations of the data. Any use of the data, including any conclusion or information obtained or derived from the use of the data, other than by HDR and Bonneville Power Administration, their authorized agents and regulatory agencies for the specific purpose or project originally contemplated for our services will be at the user's sole risk.

If changes are made to the project or property after the date of the report, we recommend that GeoEngineers be given the opportunity to review the data, and then we can provide written modifications or confirmation, as appropriate.

### **Information Provided by Others**

GeoEngineers makes no warranties or guarantees regarding the accuracy or completeness of data provided or compiled by others and shall not be responsible for user's interpretation of such data.

Have we delivered World Class Client Service?

Please let us know by visiting [www. geoengineers.com/feedback](http://www.geoengineers.com/feedback).



[www.geoengineers.com](http://www.geoengineers.com)











Office: PORT Path: P:\2\2081032\GIS\208103200\_IndexMap.mxd Map Revised: October 27, 2010



- Explanation**
- A1 Map Index
  - 1 Proposed Route Segment
  - County Boundary
  - State Boundary
- Roads
- Interstate
  - Highway
  - Urban Areas



Notes:

1. The locations of all features shown are approximate.
2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.
3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Proposed Route from BPA.  
 Shaded relief from ESRI Online Resource Center.  
 Base data from ESRI Data & Maps, Street Maps 2008



**Index Map**

BPA 15 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties







### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater

BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 YY1

Sheet  
 1 of 156







### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page ZZ1  
 Sheet 2 of 156






### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page Z22  
 Sheet 3 of 156







### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ▨ Groundwater < 60"
- ▨ Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- ▨ Landslides
- ▨ Outburst Flood Deposits
- ▨ Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 A1  
 Sheet  
 4 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 A2  
 Sheet  
 5 of 156







**Explanation**

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

**Geology Legend**

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNr, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 A3

Sheet  
 6 of 156



Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet

Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 B1

Sheet  
 7 of 156



Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL




### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.







### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page B3  
 Sheet 9 of 156







### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page B4  
 Sheet 10 of 156





### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page B5  
 Sheet 11 of 156









### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.







Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - ▭ Existing Right-of-Way
  - ▭ City Boundary
  - ▭ County Boundary
  - ▭ Half Mile Buffer of Segments
  - ~ Stream
  - Waterbody
  - ▨ Groundwater < 60"
  - ▨ Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - ▨ Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties



Map Page  
 C3  
 Sheet  
 14 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont. Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 C4  
 Sheet  
 15 of 156







**Explanation**

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

**Geology Legend**

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater

BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 C5

Sheet  
 16 of 156





### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.





Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page C6  
 Sheet 17 of 156





- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.





Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL




### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page D2  
 Sheet 19 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 D3

Sheet  
 20 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.



Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.







- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 D5  
 Sheet  
 22 of 156





### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.





Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page D6  
 Sheet 23 of 156





- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 E1  
 Sheet  
 24 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL




### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.



Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.







- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - ▭ Existing Right-of-Way
  - ▭ City Boundary
  - ▭ County Boundary
  - ▭ Half Mile Buffer of Segments
  - ~ Stream
  - Waterbody
  - ▨ Groundwater < 60"
  - ▨ Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - ▨ Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.







### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.








### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNr, Dogami and Clark County.





Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page E6  
 Sheet 29 of 156







### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page E7  
 Sheet 30 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.







Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater

BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 F2

Sheet  
 32 of 156





### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties



Map Page  
 F3  
 Sheet  
 33 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 F4  
 Sheet  
 34 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL




### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ▨ Groundwater < 60"
- ▨ Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- ▨ Landslides
- ▨ Outburst Flood Deposits
- ▨ Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 F5  
 Sheet  
 35 of 156





### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

N  
Z

0 1,000 2,000  
Feet



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL


Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.





Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet

Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 G2  
 Sheet  
 37 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL





**Explanation**

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

**Geology Legend**

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 G3



Sheet  
 38 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.





Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page G4  
 Sheet 39 of 156





- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"
- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNr, Dogami and Clark County.








### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.





Map Revised: November 19, 2010 EL

Office: PORT Path: W:\Portland\Projects\2\081032\GIS\208103200\_Geology.mxd





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 H3

Sheet  
 42 of 156





Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - Groundwater < 60"
  - Bedrock < 60"

- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page H4  
 Sheet 43 of 156







### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties






### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z  
 0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page 13  
 Sheet 46 of 156





### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page 14  
 Sheet 47 of 156



Office: PORT Path: W:\Portland\Projects\2\081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

North Arrow

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page 15  
 Sheet 48 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.




Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page 16  
 Sheet 49 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd Map Revised: November 19, 2010 EL



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- Groundwater < 60"
- Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000  
Feet

Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 J1  
 Sheet  
 50 of 156






### Explanation

- - - Proposed Route Segment
- - - Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ▨ Groundwater < 60"
- ▨ Bedrock < 60"

### Geology Legend

- Andesite Flows
- Basalt Flows
- Cont Sed. Deposits or Rocks
- Fan Deposits
- Glacial Drift, Pre Fraser
- Intrusive Rocks
- Landslides
- Outburst Flood Deposits
- ▨ Peat
- Qal Alluvium
- Terrace Deposits
- Volcaniclastic Deposits

0 1,000 2,000 Feet



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Geology.mxd  
 Map Revised: November 19, 2010 EL  
 Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties



Map Page  
 J2  
 Sheet  
 51 of 156





- ### Explanation
- 1 Proposed Route Segment
  - - - 6 Segments No Longer Being Considered
  - Planned Structure
  - ▭ Existing Right-of-Way
  - ▭ City Boundary
  - ▭ County Boundary
  - ▭ Half Mile Buffer of Segments
  - ~ Stream
  - Waterbody
  - ▨ Groundwater < 60"
  - ▨ Bedrock < 60"

- ### Geology Legend
- Andesite Flows
  - Basalt Flows
  - Cont Sed. Deposits or Rocks
  - Fan Deposits
  - Glacial Drift, Pre Fraser
  - Intrusive Rocks
  - Landslides
  - Outburst Flood Deposits
  - Peat
  - Qal Alluvium
  - Terrace Deposits
  - Volcaniclastic Deposits



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Geology and geologic hazard data from USGS, WDNR, Dogami and Clark County.



Geology, Shallow Bedrock, Shallow Groundwater

BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 K1

Sheet  
 52 of 156












Office: PORT Path: P:\2\2081032\GIS\208103200\_IndexMap.mxd Map Revised: October 27, 2010




**Explanation**

- A1 Map Index
- 1 Proposed Route Segment
- County Boundary
- State Boundary

Roads

- Interstate
- Highway
- Urban Areas



Notes:

1. The locations of all features shown are approximate.
2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.
3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Proposed Route from BPA.  
Shaded relief from ESRI Online Resource Center.  
Base data from ESRI Data & Maps, Street Maps 2008



**Index Map**

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties



## SOIL CLASSIFICATION CHART

MAJOR DIVISIONS			SYMBOLS		TYPICAL DESCRIPTIONS
			GRAPH	LETTER	
COARSE GRAINED SOILS	GRAVEL AND GRAVELLY SOILS	CLEAN GRAVELS (LITTLE OR NO FINES)		<b>GW</b>	WELL-GRADED GRAVELS, GRAVEL - SAND MIXTURES
		GRAVELS WITH FINES (APPRECIABLE AMOUNT OF FINES)		<b>GP</b>	POORLY-GRADED GRAVELS, GRAVEL - SAND MIXTURES
				<b>GM</b>	SILTY GRAVELS, GRAVEL - SAND - SILT MIXTURES
		SAND AND SANDY SOILS	CLEAN SANDS (LITTLE OR NO FINES)		<b>SW</b>
	SANDS WITH FINES (APPRECIABLE AMOUNT OF FINES)			<b>SP</b>	POORLY-GRADED SANDS, GRAVELLY SAND
				<b>SM</b>	SILTY SANDS, SAND - SILT MIXTURES
	<b>SC</b>		CLAYEY SANDS, SAND - CLAY MIXTURES		
	FINE GRAINED SOILS	SILTS AND CLAYS	LIQUID LIMIT LESS THAN 50		<b>ML</b>
				<b>CL</b>	INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS, SANDY CLAYS, SILTY CLAYS, LEAN CLAYS
				<b>OL</b>	ORGANIC SILTS AND ORGANIC SILTY CLAYS OF LOW PLASTICITY
SILTS AND CLAYS		LIQUID LIMIT GREATER THAN 50		<b>MH</b>	INORGANIC SILTS, MICACEOUS OR DIATOMACEOUS SILTY SOILS
				<b>CH</b>	INORGANIC CLAYS OF HIGH PLASTICITY
				<b>OH</b>	ORGANIC CLAYS AND SILTS OF MEDIUM TO HIGH PLASTICITY
HIGHLY ORGANIC SOILS				<b>PT</b>	PEAT, HUMUS, SWAMP SOILS WITH HIGH ORGANIC CONTENTS


NOTE: Multiple symbols are used to indicate borderline or dual soil classifications

### SOIL CLASSIFICATION



Map Revised: November 18, 2010 EL:CR

Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200 Soils.mxd





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 YY1  
 Sheet  
 53 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~~~~~ Stream
- Waterbody
- ~~~~~ 40 Foot Contours
- ~~~~~ 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 A1  
 Sheet  
 56 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 A3  
 Sheet  
 58 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CR




### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties


Map Page  
 B1  
 Sheet  
 59 of 156







Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC




### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z


Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page C4  
 Sheet 67 of 156







### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA 15 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties



Map Page  
 C5  
 Sheet  
 68 of 156





### Explanation

- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Soil Boundary
  - Organic Soil Units
- Percent Slope**
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 C6  
 Sheet  
 69 of 156



Map Revised: November 18, 2010 EL: CRC

Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200 Soils.mxd





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Map Revised: November 18, 2010 EL.CRC

Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200 Soils.mxd





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 D3

Sheet  
 72 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000  
Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 D6  
 Sheet  
 75 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:ERC



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 E1

Sheet  
 76 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL: CRC





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.










Office: PORT Path: W:\Portland\Projects\20181032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

0 1,000 2,000 Feet

Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 E5  
 Sheet  
 80 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 E6  
 Sheet  
 81 of 156






### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 E7  
 Sheet  
 82 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 F1  
 Sheet  
 83 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Map Revised: November 18, 2010 EL.CRC

Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200 Soils.mxd





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA 15 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 F4  
 Sheet  
 86 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 F5

Sheet  
 87 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CRG





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 G2  
 Sheet  
 89 of 156



Office: PORT Path: W:\Portland\Projects\20181032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\20181032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 G4

Sheet  
 91 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 H1  
 Sheet  
 92 of 156







### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~~~~~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 H3  
 Sheet  
 94 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 H4  
 Sheet  
 95 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Soil Boundary
- Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties







### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties







### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.




Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 15  
 Sheet  
 100 of 156



Office: PORT Path: W:\Portland\Projects\20181032\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL:CR





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.





Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200 Soils.mxd Map Revised: November 18, 2010 EL.CRC





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 J1  
 Sheet  
 102 of 156






### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200 Soils.mxd  
 Map Revised: November 18, 2010 EL:CRG

Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography.  
 Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.









### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- ML Soil Boundary
- PT Organic Soil Units

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Slopes derived from 10-meter DEM and Clark County LiDAR. Soils data from NRCS.



Soils and Slope Gradients  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties













Office: PORT Path: P:\2\2081032\GIS\208103200\_IndexMap.mxd Map Revised: October 27, 2010



- Explanation**
- A1 Map Index
  - 1 Proposed Route Segment
  - County Boundary
  - State Boundary
- Roads
- Interstate
  - Highway
  - Urban Areas



Notes:

1. The locations of all features shown are approximate.
2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.
3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Proposed Route from BPA.  
Shaded relief from ESRI Online Resource Center.  
Base data from ESRI Data & Maps, Street Maps 2008




**Index Map**

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
YY1

Sheet  
105 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
ZZ1

Sheet  
106 of 156





### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 ZZZ  
 Sheet  
 107 of 156



Office: PORT Path: W:\Portland\Projects\20181032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CRC



### Explanation



- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
A1

Sheet  
108 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000 Feet




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.







### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
B1



Sheet  
111 of 156



Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - ▼ GeoEngineers Identified Geologic Hazard
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Faults
  - Clark Co Flooding
  - Surface Mining Activity
  - Landslides
  - Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
B2

Sheet  
112 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000 Feet



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
B3

Sheet  
113 of 156





### Explanation



- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties





### Explanation



- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 B5

Sheet  
 115 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000 Feet



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
C1

Sheet  
116 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation



- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\2\081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation



- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
C3

Sheet  
118 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000 Feet



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
C4



Sheet  
119 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - ▼ GeoEngineers Identified Geologic Hazard
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - ~ Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Faults
  - Clark Co Flooding
  - Surface Mining Activity
  - Landslides
  - Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
C5

Sheet  
120 of 156





### Explanation



- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
D1  
Sheet  
122 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z

0 1,000 2,000 Feet




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\2\081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation



- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
D3

Sheet  
124 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

North Arrow

0 1,000 2,000 Feet




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
D5  
Sheet  
126 of 156





### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
D6

Sheet  
127 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000 Feet



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
E1



Sheet  
128 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - ▼ GeoEngineers Identified Geologic Hazard
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Faults
  - Clark Co Flooding
  - Surface Mining Activity
  - Landslides
  - Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
E2

Sheet  
129 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- - - Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard

- ▨ Moderate to High
- ▨ Peat

### Percent Slope

- ▨ 0 - 40%
- ▨ 40 - 55%
- ▨ 55 - 70%
- ▨ >70%




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\2018\1032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CRC



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- - - Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes


### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
E5

Sheet  
132 of 156



Office: PORT Path: W:\Portland\Projects\20181032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
E6

Sheet  
133 of 156





### Explanation



- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
E7

Sheet  
134 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z

0 1,000 2,000 Feet



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
F1

Sheet  
135 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
F2

Sheet  
136 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 F3  
 Sheet  
 137 of 156



Office: PORT Path: W:\PORT\Projects\2018\1032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
F4



Sheet  
138 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - GeoEngineers Identified Geologic Hazard
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Faults
  - Clark Co Flooding
  - Surface Mining Activity
  - Landslides
  - Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
F5


Sheet  
139 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - GeoEngineers Identified Geologic Hazard
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Faults
  - Clark Co Flooding
  - Surface Mining Activity
  - Landslides
  - Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
G1  
Sheet  
140 of 156



Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:ERC



### Explanation

- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

North Arrow

0 1,000 2,000 Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
G2  
Sheet  
141 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation


- Proposed Route Segment
- Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.







Office: PORT Path: W:\Portland\Projects\21081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - ▼ GeoEngineers Identified Geologic Hazard
  - ▭ Existing Right-of-Way
  - ▭ City Boundary
  - ▭ County Boundary
  - ▭ Half Mile Buffer of Segments
  - ~ Stream
  - Waterbody
  - ~ 40 Foot Contours
  - ~ 200 Foot Contours
  - Faults
  - ▨ Clark Co Flooding
  - ▨ Surface Mining Activity
  - ▨ Landslides
  - ▨ Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
G4  
Sheet  
143 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

0 1,000 2,000 Feet

**Z**



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
H1

Sheet  
144 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- - - Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

N  
Z

0 1,000 2,000  
Feet



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.










Office: PORT Path: W:\Portland\Projects\2\081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes


### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z




**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.





Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation



- Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ▬ Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.


Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards  
 BPA I5 Transmission Corridor Project  
 Clark, Cowlitz and Multnomah Counties

Map Page  
 11  
 Sheet  
 148 of 156





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

**Z**

0 1,000 2,000 Feet




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.







### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%




Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.







### Explanation


- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▲ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard

- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70% symbol"/> >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
14

Sheet  
151 of 156



Office: PORT Path: W:\Portland\Projects\2\081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- ▭ Existing Right-of-Way
- ▭ City Boundary
- ▭ County Boundary
- ▭ Half Mile Buffer of Segments
- ~ Stream
- Waterbody
- ~ 40 Foot Contours
- ~ 200 Foot Contours
- ▬ Faults
- ▨ Clark Co Flooding
- ▨ Surface Mining Activity
- ▨ Landslides
- ▨ Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

0 1,000 2,000 Feet

**Z**



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties



Map Page  
I5  
Sheet  
152 of 156



Office: PORT Path: W:\Portland\Projects\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



- ### Explanation
- 1 Proposed Route Segment
  - - - 6 Segments No Longer Being Considered
  - Planned Structure
  - ▼ GeoEngineers Identified Geologic Hazard
  - ▭ Existing Right-of-Way
  - ▭ City Boundary
  - ▭ County Boundary
  - - - Half Mile Buffer of Segments
  - ~ Stream
  - Waterbody
  - ~ 40 Foot Contours
  - ~ 200 Foot Contours
  - - - Faults
  - ▨ Clark Co Flooding
  - ▨ Surface Mining Activity
  - ▨ Landslides
  - ▨ Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



**Notes:**  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

**Data Sources:** Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards


BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
16


Sheet  
153 of 156



Office: PORT Path: W:\Portland\Projects\2\2081032\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL:CR



- ### Explanation
- Proposed Route Segment
  - Segments No Longer Being Considered
  - Planned Structure
  - GeoEngineers Identified Geologic Hazard
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Faults
  - Clark Co Flooding
  - Surface Mining Activity
  - Landslides
  - Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
J1  
Sheet  
154 of 156





### Explanation

- 1 Proposed Route Segment
- 6 Segments No Longer Being Considered
- Planned Structure
- ▼ GeoEngineers Identified Geologic Hazard
- Existing Right-of-Way
- City Boundary
- County Boundary
- Half Mile Buffer of Segments
- Stream
- Waterbody
- 40 Foot Contours
- 200 Foot Contours
- Faults
- Clark Co Flooding
- Surface Mining Activity
- Landslides
- Potential Unstable Slopes

### Liquefaction Hazard


- Moderate to High
- Peat

### Percent Slope

- 0 - 40%
- 40 - 55%
- 55 - 70%
- >70%

Z

0 1,000 2,000 Feet



Office: PORT Path: W:\Portland\Projects\210810321\GIS\208103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC

Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.




Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties


Map Page  
J2  
Sheet  
155 of 156



Office: PORT Path: W:\Portland\Projects\2018\1032\GIS\208\103200\_GeologicHazards.mxd Map Revised: November 18, 2010 EL: CRC



- ### Explanation
- 1 Proposed Route Segment
  - 6 Segments No Longer Being Considered
  - Planned Structure
  - ▲ GeoEngineers Identified Geologic Hazard
  - Existing Right-of-Way
  - City Boundary
  - County Boundary
  - Half Mile Buffer of Segments
  - Stream
  - Waterbody
  - 40 Foot Contours
  - 200 Foot Contours
  - Faults
  - Clark Co Flooding
  - Surface Mining Activity
  - Landslides
  - Potential Unstable Slopes
- ### Liquefaction Hazard
- Moderate to High
  - Peat
- ### Percent Slope
- 0 - 40%
  - 40 - 55%
  - 55 - 70%
  - >70%



Notes:  
 1. The locations of all features shown are approximate.  
 2. This drawing is for information purposes. GeoEngineers, Inc. cannot guarantee the accuracy and content of this map.  
 3. It is unlawful to copy or reproduce all or any part of this document whether for personal use or resale, without permission.

Data Sources: Water features from Pacific Northwest Hydrography. Route information from BPA. Faults from DNR, Dogami and USGS. Flooding, mining activity, landslides, potential unstable slopes and liquefaction hazards from Clark Co, USGS and DNR. Geologic Hazard features identified by GeoEngineers.



Geologic Hazards

BPA I5 Transmission Corridor Project  
Clark, Cowlitz and Multnomah Counties

Map Page  
K1

Sheet  
156 of 156