

**Atterbury, Laura M - DK-7**

**From:** moinuddin.shaik@obdp.org  
**Sent:** Wednesday, December 31, 2008 3:14 PM  
**To:** FOIA  
**Subject:** FOIA Request

RECEIVED BY BPA FOIA OFFICE THIS DATE: 1-02-09
THE DATE: 2-02-09 (he really)
LOG # 09-018

The following is a New FOIA request:  
\*\*\*\*\*

**Name:** Moinuddin Shaik, P.E.  
**Organization:** OREGON BRIDGE DELIVERY PARTNERS  
**Address:** 295 BROOKSIDE DRIVE EUGENE, OR 97405  
**Phone:** 503-602-9945  
**FAX:** 541-726-8702  
**Email:** moinuddin.shaik@obdp.org

**Description of Request:** 1-Per BPA Guide lines what is the "Safe Distance" to build a residential home? 2-Who monitors the guide line requirements are met? 3-Is there a device to measure the "Safe Zone" around BPA pwer lines?  
**Preferred format:** Letter

**Type of Requester:** Personal

I request a **fee Waiver**

**I request a waiver or reduction of fees because my request concerns "the operations or activities of the government" as explained below:**  
*NO-This is purely for the purpose of buying a home in the vicinity of BPA poer lines in Tigard, Oregon.*

**I request a waiver or reduction of fees because the discolsure is "likely to contribute" to an understanding of government operations or activities as explained below:**  
*I will use the information wheather it will be safe for my family to buy that house.*

**If denied a waiver or reduction, I Agree to pay up to 50.00**