

**Errata to  
2002 Initial Power Rate Proposal  
Risk Analysis Study  
Risk Analysis: Risk Mod, NORM Testimony  
WP-02-E-BPA-15(E2)**

The correct witness name is Robert J. Petty.

Page 4, Line 4: Delete “s” at end of “allow”.

Page 4, Line 18: Replace “accounts” with “accounted”.

Page 5, Line 13: Add a comma “,” after “RAM”.

Page 5, Line 24: Capitalize “West Coast”.

Page 8, Line 14: Insert after “risk”, “for the Pacific Northwest and BPA”.

Page 8, Line 26: Insert “and” after “load growth variability”.

Page 9, Lines 13-14: Delete sentence beginning “In contrast”.

Page 11, Line 26: Replace “than average” with “than the average value”.

Page 14, Lines 16-17: Insert after “using”, “input data for” and insert at the end of the sentence “that were externally derived”.

Page 14, Line 23: Replace “predict” with “suggest”.

Page 14, Line 26: Replace “these FCCF credits” with “the FCCF”.

Page 15, Line 14: Replace “uder” with “under”.

- Page 15, Line 18: Replace the sentence with “The following algorithm adjusts AURORA prices depending upon the amount of HLH and LLH surplus energy sales:”
- Page 16, Line 15: Replace “the impacts on the prices BPA receives under high water conditions, relative to the hourly marginal price.” with “the impact that large amounts of surplus energy sales have on the prices that BPA receives.”
- Page 16, Line 17: Insert a comma “,” after “thus”.
- Page 17, Line 2: Replace “will” with “may”.
- Page 17, Line 24: Insert a period “.” and two spaces after “rates”.
- Page 18, Line 11: Replace “in to” with “into”.