

UES Measure List Changes Effective April 1, 2026

Nonresidential

- **Reference Numbers (refnos):** BPA created new refnos for the Nonresidential Midstream Fixtures measures added to the Implementation Manual effective April 1, 2026.

Residential

- **Ductless Heat Pump (DHP):** BPA corrected an error in the DHP measure suite in which busbar savings values and related data loaded into BPA Energy Efficiency Tracking System (BEETS) were inaccurate and conflicted with the unit energy savings (UES) Measure List. BPA will adjust historical BEETS savings records to reflect these corrected values.
- **Advanced Smart Thermostat:** BPA updated several data points in the Advanced Smart Thermostat measure suite, including Power System Coincident Peak Reduction, Distribution System Peak Load Reduction, and other supplemental fields to ensure consistency and completeness across the UES Measure List. These updates do not affect savings or payments and do not require retroactive BEETS adjustments.
- **Heat Pump Water Heater (HPWH) and Variable Speed Heat Pump (VSHP):** BPA corrected the site savings for one HPWH refno and one VSHP refno. These updates do not affect payments and do not require retroactive BEETS adjustments.

Installed Cost

- The UES Measures List has been adjusted to remove the requirement for installed cost to be entered into BEETS for measures that previously required it. Installed cost is now an optional input field for all UES measures.

