



Department of Energy

Bonneville Power Administration
P.O. Box 3621
Portland, Oregon 97208-3621

FREEDOM OF INFORMATION ACT/PRIVACY PROGRAM

October 15, 2014

In reply refer to: FOIA BPA 2014-01815-F

Stephanie E. Zurenko, LEG, CESCL
Nonpoint Compliance, Water Quality Program
Washington State Department of Ecology, SW Regional Office
P.O. Box 47775
Lacey, WA 98504

Ms. Zurenko:

This is a final response to your request for Bonneville Power Administration (BPA) records under the Freedom of Information Act (FOIA), 5 U.S.C. § 552. Your request was received in our office on September 4, 2014, with an acknowledgement letter sent to you on September 19, 2014.

You requested:

“...information pertaining to a culvert and overlying fill that is located in the E 112 of section 8, T17N, R06W in Grays Harbor County, WA. The culvert and associated fill lie within a BPA easement below transmission lines that run through the Satsop Business Park formerly the WPSS Satsop Nuclear Plants 3 and 5 site[s]. I seek documentation that alludes to the placement of the culvert and fill that provides information on the date the culvert/fill was placed, who (or what entity) placed it, any conditions or requirements by any authority (including BPA as the holder of the transmission easement) placed on the culvert/fill, and any documentation showing the location as well as any documentation from the proponent, the landowner, or any agency describing or showing or providing specifications for the construction the fill and/or the culvert. Additionally, any comments or correspondence from any other agency with authority or from the landowner or the proponent held in your records regarding the culvert/fill. It is suspected that the culvert/fill was placed sometime in the mid to late 1970s through the mid-1980s at a time when the site was being prepared for construction. I do NOT seek records specific to the actual construction or operation or environmental assessment of the Satsop Nuclear Plant project or records specific to the transmission lines. I only am requesting those records specific to this culvert.”

Response:

We conducted a search of BPA Real Property Services' records. We located 22 pages of material responsive to your request. We are releasing those records in full. Those records accompany this

communication. Please be aware that the record images we have released to you are the best quality available from BPA's Real Property Services record files.

There are no fees associated with this request.

Appeal:

You may seek administrative appeal pursuant to Department of Energy FOIA regulations at 10 C.F.R. § 1004.8 if you believe the records search was not adequate. If you choose to appeal, you must do so in writing within 30 days, and include the following information:


- (1) The nature of your appeal - denial of records, partial denial of records, adequacy of search, or denial of fee waiver; and
- (2) Any legal authorities relied upon to support the appeal; and
- (3) A copy of this determination letter.

Clearly mark both your letter and envelope with the words "FOIA Appeal," and direct it to the following address:

Director, Office of Hearings and Appeals
Department of Energy
1000 Independence Avenue SW
Washington DC 20585-1615

We appreciate the opportunity to assist you. If you have any questions about this letter, please contact James King, FOIA Case Officer (BPA Contractor, CorSource), at 503-230-7621.

Sincerely,



C. M. Frost
Freedom of Information/Privacy Act Officer

Enclosure:
Responsive documents