

**From:** [Zurenko, Stephanie \(ECY\)](#)  
**To:** [Winn, Kim S \(BPA\) - CGF-B1](#); [Jansen, Wendy E \(BPA\) - TERR-OLYMPIA](#)  
**Subject:** sec. 8 culvert/fill beneath the BPA transmission lines at the Satsop Business Park, Grays Harbor  
**Date:** Friday, October 03, 2014 11:08:15 AM  
**Importance:** High

Date Rec'd:  
10/3/2014  
Due Date:  
11/03/2014  
Tracking Number:  
BPA-2015-00030-F

Kim and Wendy,

Okay. After a discussion between myself and my supervisor about the status of the Ecology's FOIA request, it became apparent that my request may have lacked an element that is may be pertinent to the issue at hand.

Thus, I would like this email to act as an official request for copy(s) of BPA's current easement or right-of-way agreement(s) with those entities or entity considered to be landowner(s) beneath the transmission lines located in Section 8, T16N, R06W, WM, Grays Harbor County, WA. This area lies adjacent to the site now known as the Satsop Business Park. We are requesting that any supporting documents specific to those agreements be included in our request. This may include maps or legal descriptions on title or county parcel descriptions or any other document that describes or defines the boundaries of the grounds surface to which the agreements applies.

Ecology's interest in these documents remains the same as it was in our initial request to BPA. This request, as did that one, is part of our information gathering with regards to ownership of the ground, below BPA transmission lines, on which a culvert and its overlying fill is located. Ecology's concern is the continued sediment delivery from the fill overlying to culvert into waters of the state. The sediment being delivered is in violation of the State's Water Pollution Control Act and thus, under that authority, we are ultimately looking for corrective action to prevent continued delivery.

As such, Ecology represents the interest of the citizens of the State of Washington. If there is a need to compensate for the cost of the reproductions, please provide me with an estimate prior to completing the request so that I can assure payment will be feasible. Additionally, please keep me informed as to the status of this request. Note that the existing request was directed originally to Wendy Jensen, Transmission Easement Specialist, in the Olympia realty office. If the current agreements are included with the documents gathered to satisfy that request, then there is no need to duplicate the documents with this request.

If you have any questions or concerns about this request, please do not hesitate to contact me via email or at the below listed numbers.

Best regards,

*Stephanie E. Zurenko, LEG, CESCL  
Nonpoint Compliance, Water Quality Program  
Dept. of Ecology, SW Regional Office  
Lacey, WA  
office 360.407.7633 cell 360.529.7446*

*We cannot solve significant problems with the same level of thinking that created them ~ Einstein*