

**From:** [Frost, Christopher M \(BPA\) - CGI-7](#)  
**To:** "Dan, Winson"  
**Cc:** [FOIA](#); [Winn, Kim S \(BPA\) - CGC-7](#)  
**Subject:** RE: FOIA request for the Corona and Field Effects (CAFE) software  
**Date:** Friday, August 05, 2016 1:27:33 PM

---

Mr. Winson –

Thank you for your interest in BPA. I have copied this response to BPA's FOIA inbox to begin the intake process. We will process your request as quickly as possible.

As an additional note, Ms. Winn is currently on detail to another organization within BPA, but you will be able to contact the FOIA office through the BPA FOIA inbox email.

Respectfully,

**C. M. Frost**

Information Governance Supervisor, FOIA/Privacy Officer | CGI-7

**BONNEVILLE POWER ADMINISTRATION**

[cmfrost@bpa.gov](mailto:cmfrost@bpa.gov) | P 503-230-5602

*Please consider the environment before printing this email.*

[Helpful Facts About FOIA](#)

[Privacy at BPA](#)

---

**From:** Dan, Winson [mailto:Winson.Dan@AltaLink.ca]  
**Sent:** Friday, August 05, 2016 11:21 AM  
**To:** Winn, Kim S (BPA) - CGC-7  
**Cc:** Frost, Christopher M (BPA) - CGI-7  
**Subject:** FOIA request for the Corona and Field Effects (CAFE) software

Hi Kim:

I am requesting the Corona and Field Effects software under the Freedom of Information Act. AltaLink has been using an older version and would like to update to the latest available.

As I understand, the software is too large to email and must be sent via regular post. My office address is:

**Winson DAN**  
**c/o AltaLink Management Ltd.**  
**2611 – 3 Avenue SE**  
**Calgary, Alberta**  
**Canada T2A 7W7**

Thanks,  
Winson

**Winson DAN, P.Eng.** | Senior Electrical Effects Engineer | P: 403-267-4298 | C: 403-620-8212 | E: [winson.dan@altalink.ca](mailto:winson.dan@altalink.ca)

AltaLink | 2611 - 3 Avenue SE, Calgary, Alberta, T2A 7W7 | [www.altalink.ca](http://www.altalink.ca)



---

This e-mail message contains confidential information. The contents of this message are the property of AltaLink Management Ltd. the general partner of AltaLink, L.P. If you have received this e-mail in error, please return it to the sender and delete the message immediately.