

NAESB Business Practice Subcommittee (BPS) ATC Project

Betty Fung
6/11/15



BPA Participation in NAESB BPS

- Introduction
 - Participation Summary
 - June 2015 Voting Result
 - Bottom Line & Upcoming Meetings
 - References

BPA Participation in NAESB BPS

- BPA has attended the following NAESB BPS meetings:

By Phone

- 10/1/14 NAESB BPS ATC Project Kick Off
- 10/7 – 10/8/14 NAESB BPS - MISO (Carmel, IN)
- 11/25/15 – NAESB BPS Conference Call
- 1/22/15 – NAESB BPS Conference Call
- 2/17/15 – NAESB BPS Conference Call
- 3/18/15 – NAESB BPS Conference Call
- 5/20/15 – NAESB BPS Conference Call

BPA Participation in NAESB BPS

- BPA has attended the following NAESB BPS meetings:
 - In Person
 - 10/28 – 10/29/14 NAESB BPS Meeting - PJM (Valley Forge, PA)
 - 12/3 – 12/4/14 NAESB BPS Meeting - GTC (Tucker, GA)
 - 1/6 – 1/7/15 NAESB BPS Meeting - FRCC (Tampa, FL)
 - 2/3 – 2/4/15 NAESB BPS Meeting - SPP (Little Rock, AR)
 - 3/3 – 3/4/15 NAESB BPS Meeting - FRCC (Tampa, FL)
 - 4/1 – 4/2/15 NAESB BPS Meeting – Entergy (New Orleans, LA)
 - 5/5 – 5/6/15 NAESB BPS Meeting – BPA (Portland, OR)
 - 6/2 – 6/3/15 NAESB BPS Meeting – PJM (Valley Forge, PA)

NAESB BPS Meeting at PJM (6/15)

- Motion to put draft standards out for formal comment occurred on 6/3/15
 - Motion failed as a result of a tied balanced vote
 - TVA stated that Contract Path Management remains as a gap, hence the disapproval of the motion
 - Note: Contract Path Management was voted out of the BPS for further discussion at the April Meeting at Entergy
 - The disapproving parties of the motion are to gather and present alternate proposal at the conference call on 6/22/15
 - BPA is reaching out to both Eastern and Western entities to strategize resolution or compromise

BPA Participation in NAESB BPS

- Bottom Line:
 - BPA will have concerns for proposals that introduce new compliance requirements
 - NAESB's goal is to have a complete draft out for formal comments by 6/30/15

- Upcoming Meetings:
 - June 22, 2015 – Conference Call (9a – 4p CST, 7a – 2p PST)
 - June 25, 2015 – Conference Call (9a – 4p CST, 7a – 2p PST)

References

- Previous Ideas for Contract Path Language

- Proposal 1

- Add as an additional requirement:

- XXX-1.4 Each Transmission Service Provider shall limit Transmission Service sales on an ATC Path between two BAs such that the net of the Transmission Service sales do not exceed the sum of the Facility Ratings of Tie Facilities comprising the ATC Path

References

■ Previous Ideas for Contract Path Language

Proposal 2

Add as an additional requirement:

- XXX-1.4 Each Transmission Service Provider shall include a description of the allocation processes listed below in its ATCID:
 - Processes used to allocate transfer of Flowgate capability among multiple lines or sub-paths within a larger ATC Path or Flowgate.
 - Processes used to allocate transfer or Flowgate capabilities among multiple owners or users of an ATC Path or Flowgate.
 - Processes used to allocate transfer or Flowgate capabilities between Transmission Service Providers to address issues such as forward looking congestion management and seams coordination.
 - Processes used to limit Transmission Service reservations on an ATC Path between two BAs such that the net of the Transmission Service expected to flow does not exceed the sum of the Facility Ratings of Tie Facilities comprising the ATC Path.

References

- Previous Ideas for Contract Path Language

- BC Hydro's proposed language

- XXX.1.4 Each Transmission Service Provider shall limit Transmission Service sales on an ATC Path between two BAs such that the resulting ***net schedules*** do not exceed the sum of the Facility Ratings of Tie Facilities comprising the ATC Path